



2018 BUYER'S GUIDE





OCEANIC FOR LIFE

Our commitment does not end when you buy an Oceanic product. Long after the initial sale, we provide prompt and professional after-sales service to keep your gear working well and looking good, for a very long time.



OUR PRODUCT WARRANTIES

Regulators	Materials & Construction	Limited lifetime* & Oceanic for Life* (Free Parts) * Proof that regulator was serviced, according to service interval, to qualify.
Buoyancy Compensators	Materials & Construction Requires Annual Service	Five-year from date of purchase. One-year for Snorkel Vests
Digital Instruments	Materials & Construction Requires Annual Service	Two-year from date of purchase
Analog Instruments	Materials & Construction Requires Annual Service	Two-year from date of purchase
Non-Warranty Instrument Repairs	Materials & Construction	One-year from service
Masks, Snorkels, Fins	Materials & Construction	One-year from date of purchase
Wetsuits	Materials & Construction	One-year from date of purchase
Bags	Materials & Construction	Two-Year Limited Warranty
Neoprene Accessories	Materials & Construction	One-year from date of purchase

CONTENTS

DEALER PACKAGES & PROMOS . . . 4

BAG-IT PROMO	4
PROFESSIONAL PACKAGE	4
OPEN WATER PACKAGE.	5
MASK, FIN, SNORKEL PACKAGE	5

REGULATORS 6

FIRST STAGE COMPARISON CHART7
SECOND STAGE COMPARISON CHART7
ZEO.	8
DELTA 5.	9
ALPHA 10.	10
ALPHA 8 SPORT	11
ALPHA 8 OCTO	11
SLIMLINE 3 OCTO.	12
AIR XS 2	12
REGULATOR ACCESSORIES & SERVICE KITS.	13

DIVE COMPUTERS 14

DIVERLOG.	15
DIVECLOUD.	16
DIVE COMPUTER COMPARISON CHART	17
PROPLUS X	18
VTX.	19
OCi	20
PROPLUS 3	21
GEO 2.0.	22
VEO 2.0.	23
B.U.D..	24
F.10	25

ANALOG INSTRUMENTS 26

SWIV MAX DEPTH GAUGE	27
SWIV SPG.	27
SWIV COMPASS.	27
OIL-FILLED DEPTH GAUGE	28
SLIMLINE SPG	28
SIDESCAN COMPASS.	28
PONY BOTTLE GAUGE	28

INSTRUMENT PARTS & ACCESSORIES 29

BUOYANCY COMPENSATORS . . . 30

BC COMPARISON CHART	31
EXCURSION	32
JET PACK	33
HERA	34
ATMOS	35
BIOLITE.	36
OCEANPRO.	37
BC PARTS & ACCESSORIES	38

MASKS 39

CYANEA	40
OCEANVU.	41
SHADOW	41
MINI SHADOW	41
ION	42
ENZO	42
MASK ACCESSORIES	42

SNORKELS 43

ULTRA DRY 2	44
ULTRA SD.	44
ARID	45
POCKET SNORKEL	45
ENZO FREE DIVE	45
BLAST	45

FINS 46

MANTA RAY.	47
ACCEL	48
VIPER OPEN HEEL	49
VIPER FULL FOOT	49
ENZO FREE DIVE	50
FIN PARTS & ACCESSORIES	50

BAGS 51

MESH DUFFEL	52
REGULATOR BAG	52
ENZO MASK/SNORKEL/FIN BAG	52
DRY BAG	53
MESH BACKPACK.	53


BAG-IT PROGRAM

Introducing the Oceanic BAG-IT promotion.
We're giving you a FREE Wheeled Courier Bag
with every qualifying life-support package purchase.

Offer valid from 01/01/2018 to 12/31/2018

Account must be in good standing

Re-orders have no minimum quantity to purchase.



PROFESSIONAL PACKAGE

This package is designed for the Professional adventurer diver. It includes the pneumatically-balanced ZEO + FDXi regulator, the easy to read Pro Plus 3 Dive Computer with compass and your choice of BCD. Select from either the Excursion BCD (built for the serious adventurer), or the HERA (high-end female specific BCD).

Excursion, HERA
(08-7135-5X, or 08-6212-5X)

PP3-0 w/Compass (04-1071-07)

ZEO + FDXi
(40-8150-XX or 40-8140-XX)

Alpha 8 Octo (40-3540-53)



OPEN WATER PACKAGE

With the Open Water Package, you're ready to dive wherever your travels take you. Our new Alpha 10 + cDX regulator has been combined with the VEO 2.0 so you won't have to sacrifice performance for price.

The package includes the OceanPro BC (SCUBALAB Best Buy 2015) and QLR4 weight pockets. This light and rugged BC combines comfort and durability at an affordable price, perfect for the diver who wants to keep it simple yet functional.

OceanPro BCD (08-8430-5X)

VEO 2.0 Combo (04-3710-67)

Alpha 10 + cDX (40-377X-07 YOKE or DIN)

Alpha 8 Octo (40-3540-53)

Weight Pockets QLR 4 (08-0093-04)



MASK, FIN, SNORKEL PROGRAM

Purchase a minimum of 12 sets of assorted Masks, Fins & Snorkels and the price drops for all three product categories.

Minimum 12 sets per order.



CHOOSE A...

FIN	Manta Ray	Enzo	Accel	Viper Open Heel	Viper Full Foot
MASK	Cyanea	Enzo	Oceanvu	Shadow or Shadow Mini	Ion
SNORKEL	UltraDry2	Enzo	Ultra Semidry	Arid	Pocket

REGULATORS



ZEO



DELTA 5



ALPHA 10

NEW



ALPHA 8



ALPHA 10 OCTO



ALPHA 8 OCTO



AIR XS 2



SLIMLINE 3

FIRST STAGE COMPARISON CHART

	FDX-i	eDX	cDX	sPX	SP-5
Valve Type	Over-Balanced Diaphragm	Over-Balanced Diaphragm	Over-Balanced Diaphragm	Downstream Piston	Downstream Piston
Material	Forged Triple Chrome Plated Marine Brass, Stainless Valve Orifice	Machined Triple Chrome Plated Marine Brass, Stainless Valve Orifice	Machined Triple Chrome Plated Marine Brass, Stainless Valve Orifice	Machine Triple Chrome Plated Marine Brass	Machine Triple Chrome Plated Marine Brass
Low Pressure Ports	4	4	4	4	4
High Pressure Ports	2	2	2	2	1
Nitrox Compatibility	Standard to 40%	Standard to 40%	Standard to 40%	Standard to 40%	Standard to 40%
Environmental Protection Kit	Dry Chamber	Dry Chamber	Dry Chamber		
Weight	21 ounces	28 ounces	29 ounces	26 ounces	26 ounces
Factory Set Intermediate Pressure Range	138-142 psi	138-142 psi	138-142 psi	140-145 psi	140-145 psi
Pressure Drop	9 psi	9 psi	20 psi	13 psi	13 psi
Warranty	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME
Lifetime Free Replacement Parts Program	✓	✓	✓	✓	✓

SECOND STAGE COMPARISON CHART

	ZEO	DELTA 5	ALPHA 10	ALPHA 8 SPORT	SLIMLINE 3	AIR XS 2
Valve Type	Pneumatically Balanced	Pneumatically Balanced	Pneumatically Balanced	Downstream Demand	Downstream Demand	Downstream Demand
Diver Adjustable Inhalation Adjustment	✓	✓	NO	NO		
Dive/Pre-Dive Venturi Switch	✓	✓	✓	NO		
Chrome Plated Brass Valve Housing	✓	✓				
Nitrox Compatibility	Standard to 40%	Standard to 40%	Standard to 40%	Standard to 40%	Standard to 40%	Standard to 40%
High Flow MiFlex® Braided Hose	✓	✓	✓	✓	✓	✓
Integrated Swivel	✓	optional	optional			
Weight (without hose)	7.2 oz	6.8 oz	6.0 oz	6.0 oz	5.1 oz	7.9 oz
Minimum Cracking Effort	Diver Adjustable	Diver Adjustable	1.1 CIW	1.1 CIW	1.5 CIW	1.5 CIW
Factory Set Inhalation Effort	0.0 – 2.5 CIW	0.0 – 2.5 CIW	1.2 – 1.4 CIW	1.2 – 1.4 CIW	1.5 – 2.0 CIW	1.6 – 2.2 CIW
Work of Breathing	0.86 Joules	0.98 Joules	1.23 Joules	1.43 Joules	2.76 Joules	2.86 Joules
First Stage	FDX-i	eDX	cDX / sPX	SP-5	NA	NA
Warranty	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME
Lifetime Free Replacement Parts Program	✓	✓	✓	✓	✓	✓

ZEO

DESIGNED FOR DEPTH



The pneumatically-balanced ZEO is an engineering marvel of precision, durability and comfort. Its durable chrome-plated marine brass metal valve delivers a phenomenal breathing experience, improves cold-water performance and helps recirculate moisture from exhalation to prevent dry mouth. The breathing adjustment gives the diver a wide range of control to precisely set airflow throughout the dive.

The ZEO comes standard with an in-line hose swivel, inhalation effort control, dynamic adjustment technology dive/pre-dive switch and a super comfortable orthodontic mouth piece featuring an inline ball swivel on the hose connection to eliminate the binding that can cause jaw fatigue.

The new cold-forged, over-balanced diaphragm FDX-i first stage is environmentally sealed. The in-line design limits the pressure loss inherent in "L" type first stage designs making the FDX-i more efficient and lighter due to its compact form.

Valve Type	Demand
Adjustment(s)	A.V.S. (pre-dive) & Flow Adjust
Balancing System	Pneumatic
Mouthpiece	Orthodontic with Tabs
Nitrox Compatibility	Standard to 40%
Weight (without hose)	7.2 ounces
Dimensions (Front Profile)	2.3 inch x 3 inch (oval shape)
Work of Breathing	0.86 Joules
Warranty	LIMITED LIFETIME
Service Agreement	FREE PARTS FOR LIFE

FDX-i (FIRST STAGE)

Valve Type	Balanced Diaphragm
Primary Material	Forged Marine Brass
Pressure Ports	LP (4), HP (2)
Nitrox Compatibility	Standard to 40%
Sealed Valve Design	✓
Environmental Protection	✓
Warranty	LIMITED LIFETIME
Service Agreement	FREE PARTS FOR LIFE



Miflex®
Braided
Hose

PROFESSIONAL PACKAGE

Save big when you buy as part of a package. See page 4 for details.



PART NO.	ITEM
40-8150-07	ZEO + FDXI, YOKE, SWIV, BK
40-8150-24	ZEO + FDXI, YOKE, SWIV, WH
40-8140-07	ZEO + FDXI, DIN, SWIV, BK
40-8140-24	ZEO + FDXI, DIN, SWIV, WH
40-9602	TOOL, COVER, ZEO

DELTA 5

READY FOR ANYTHING

The new Delta 5 is the next step in a long line of remarkably reliable, durable and smoothly breathing regulators to carry that name. Sure, we've given it an updated look, but that's not all. Like the Delta's before it, the 5 comes standard with our patented Dynamic Adjustment Technology, dive/pre-dive controls and a super comfortable orthodontic mouthpiece. Unlike its predecessors, the new Delta 5 has an all metal pneumatic valve, providing super smooth breathing performance in any condition. We have also added a heat exchanger, positioned on the hose connection to the 2nd stage, to further increase its already stellar cold water performance.

We've paired the Delta 5 with the new eDX. This top-of-the-line, over-balanced diaphragm first stage is environmentally sealed and comes with 4 low-pressure and 2 high-pressure ports. It also comes equipped with a heat exchanger for added cold water performance.

DELTA 5 (SECOND STAGE) Available in Black & White

Adjustments	Dive/pre-dive switch & Patented Dynamic airflow Adjustment control
Valve Type	Pneumatically balanced all-metal valve
Heat Exchanger	✓ (For enhanced cold-water performance)
Mouthpiece Type	Orthodontic w/ Bite Tabs
Nitrox Compatibility	✓ (Standard to 40%)
Swivel Adapter	✓ (Optional)
Dimensions (Front Profile)	2.5 inch diameter (circular)
Work of Breathing	0.98 Joules
Warranty	✓ (Lifetime & Free Parts for Life)
Service Interval	2 Year, Required

eDX (FIRST STAGE) Available in Yoke & DIN

Valve Type	Balanced Diaphragm
Pressure Ports	LP (4), HP (2)
Nitrox Compatibility	✓ (Standard to 40%)
Environmental Protection	✓ (Sealed Valve Design)
Warranty	✓ (Lifetime & Free Parts for Life)
Service Interval	2 Year, Required



Universal
Swivel
Adapter



Miflex®
Braided
Hose



eDX

PART NO.	ITEM
40-7590-07	DELTA 5 + EDX, YOKE, BK
40-7591-07	DELTA 5 + EDX, DIN, BK
40-7590-24	DELTA 5 + EDX, YOKE, WH
40-7591-24	DELTA 5 + EDX, DIN, WH
40-7595-07	DELTA 5, 2ND STAGE, ONLY, BK
40-7595-24	DELTA 5, 2ND STAGE, ONLY, WH
40-7590	EDX 1ST STAGE, YOKE
40-7591	EDX 1ST STAGE, DIN
40-4038	SWIVEL, REG UNIVERSAL

ALPHA 10

DEPENDABLE PERFORMANCE

Simple, dependable and economical. What else would you expect from a design as refined and perfected as the Alpha? Effortless breathing in a compact design that is extremely tough yet easy to maintain and service.

ALPHA 10 (SECOND STAGE) Available in Black & Neon

Valve Type	Pneumatically balanced demand
Mouthpiece Type	Orthodontic w/ Bite Tabs
Nitrox Compatibility	Standard to 40%
Swivel Adapter	Optional
Dimensions (Front Profile)	2.66 inch diameter (circular)
Warranty	✓ (Lifetime & Free Parts for Life)
Service Interval	2 Year, Required

cDX & sPX (1ST STAGE) Available in DIN & Yoke

Valve Type	cDX Balanced diaphragm sPX Piston
Primary Material	Machined, triple chrome marine brass
Angled Ports	For ideal hose routing
Pressure Ports	LP (4), HP (2)
Work of Breathing	1.23 Joules
Nitrox Compatibility	Standard to 40%
Environmental Protection	cDX Yes sPX No
Warranty	✓ (Lifetime & Free Parts for Life)
Service Interval	2 Year, Required



NEW



Miflex®
Braided
Hose



Universal
Swivel
Adapter

OPEN WATER PACKAGE

Save big when you buy as part of a package. See page 5 for details.



PART NO.	ITEM
40-3780-07	ALPHA 10 + SPX, YOKE
40-3781-07	ALPHA 10 + SPX, DIN
40-3770-07	ALPHA 10 + CDX, YOKE
40-3771-07	ALPHA 10 + CDX, DIN
40-3744-18	ALPHA 10 OCTOPUS
40-3795-07	ALPHA 10, 2ND STAGE, ONLY, BK
40-3770	CDX 1ST STAGE, YOKE
40-3771	CDX 1ST STAGE, DIN
40-3780	SPX 1ST STAGE, YOKE
40-3781	SPX 1ST STAGE, DIN
40-4038	SWIVEL, REG UNIVERSAL

ALPHA 8 SPORT

PROFESSIONAL PERFORMANCE AT AN ENTRY-LEVEL PRICE

The Alpha 8 Sport is the top-performing regulator in its class, and one of the most affordably priced regulators you can buy.

Valve Type	Demand
Integrated Purge Button	✓
Mouthpiece	Orthodontic
Nitrox Compatibility	Standard to 40%
Weight (without hose)	6 ounces
Dimensions (front profile)	2.9 inches
First Stage Configurations	SP-5
Minimum Cracking Effort	1.1 CIW
Factory Set Inhalation Effort	1.2–1.4 CIW
Work of Breathing	1.47 Joules (SP-5)
Warranty	✓ (Lifetime & Free Parts for Life)
Service Interval	2 Year, Required



ALPHA 8 OCTO

THE OCTO OF OCTOS

If you believe that you shouldn't have to sacrifice performance for price, the Alpha 8 Octo is for you. The Alpha 8 Octo is a top-performing regulator in its class, and one of the most affordably-priced regulators you can buy.

Designed to perform to U.S. Navy's Class A standards at 198 ft	
Demand Valve	✓
Balancing System	✓
Integrated Purge Button	✓
Orthodontic Mouthpiece	✓
Nitrox Compatibility	Standard to 40%
Weight (without hose)	6 ounces
Dimensions (front profile)	2.9 inches
Minimum Cracking Effort	1.1 CIW
Factory Set Inhalation Effort	1.2–1.4 CIW
Warranty	✓ (Lifetime & Free Parts for Life)
Service Interval	2 Year, Required



Save big when you buy
as part of a package.
See page 4 and 5 for details.



PART NO.	ITEM
40-3520-29	ALPHA 8 + SP5, YOKE
40-3551-29	ALPHA 8 + SP5, DIN
40-3540-53	ALPHA 8 OCTOPUS

SLIMLINE 3 OCTO

KEEP A LOW-PROFILE

Keep a low profile. A super streamlined alternate air source that sits flat to reduce drag and prevent tangles.

Flat design reduces drag and bulk

Tough housing and rubber front cover

Large high-visibility purge button

High visibility yellow hose

MiFlex® Hose

Lifetime Warranty & Free Parts for Life

2 Year Service Interval, Required



MiFlex Braided
Hose



AIR XS 2

ALTERNATE INFLATOR

Combine your alternate air source and BC inflator into one low-profile, streamlined package.

Now available with MiFlex® hose

Purchase installed with a new BC or easily add to any Oceanic BC in minutes

Compact, integrated design

No need to search in an emergency for an octo that is rarely used—the Air XS 2 is always right where you need it

Ergonomic design

Integrated pull-ball (Complete unit only) allows activation of the cable exhaust valve while using the Air XS 2

Lifetime Warranty & Free Parts for Life

2 Year Service Interval, Required



PART NO.

ITEM

40-4244-18	SLIMLINE 3 OCTOPUS
08-7020	AIR XS2 LOWER UNIT W/LPQD HOSE
08-7030	AIR XS INSTALLED ON BC
08-7030-14	AIR XS COMPLETE, 14"
08-7030-16	AIR XS COMPLETE, 16"
08-7030-18	AIR XS COMPLETE, 18"
08-7030-20	AIR XS COMPLETE, 20"

REGULATOR ACCESSORIES & SERVICE KITS

PART NO.	ITEM
SECOND STAGES ASSEMBLIES	
40-8195-07	ZEO 2ND ST SWIV W/HOSE, BK
40-8195-24	ZEO 2ND ST SWIV W/HOSE, WHT
40-7595-07	DELTA 5, 2ND STAGE, ONLY, BK
40-7595-24	DELTA 5, 2ND STAGE, ONLY, WH
40-3795-07	ALPHA 10, 2ND STAGE, ONLY, BK
40-3515-07	ALPHA 8 2ND STG, BK/BU
FIRST STAGE ASSEMBLIES	
40-8200-03	FDXI 1ST STG, YOKE, BK
40-8200-05	FDXI 1ST STG, DIN, BK
40-8211-24	FDXI 1ST STG, YOKE, WT
40-8212-24	FDXI 1ST STG, DIN, WT
40-7590	EDX 1ST STAGE, YOKE
40-7591	EDX 1ST STAGE, DIN
40-3770	CDX 1ST STAGE, YOKE
40-3771	CDX 1ST STAGE, DIN
40-3780	SPX 1ST STAGE, YOKE
40-3781	SPX 1ST STAGE, DIN
40-7530	SP5 1ST STG, YOKE
40-7531	SP5 1ST STG, DIN
HOSES	
40-2100-027	HOSE, MAXFLO, 27" BK
40-2100-030	HOSE, MAXFLO, 30" BK
40-2100-033	HOSE, MAXFLO, 33" BK
40-2100-036	HOSE, MAXFLO, 36" BK
40-2118-039	HOSE, MAXFLO OCTO, NY, 39 INCH
40-2200-030-B	HOSE, MIFLEX®, 30" BK
40-2218-036-B	HOSE, MIFLEX®, 36" YL
40-2220-030	HOSE, MIFLEX® SWIVEL DELTA 30"
40-2222-030	HOSE, MIFLEX® SWIVEL EOS 30"
ACCESSORIES	
40-4038	SWIVEL, REG UNIVERSAL
40-4026	KIT, CONVERT, DIN, PRE 1999
40-4026-99	KIT, CONVERT, DIN, 1999 REGLS (WILL NOT WRK W/ FDXI, EDX, SPX)
40-4027	KIT, CONVERT, TO YOKE, PRE 99
40-4027-99	KIT, CONVERT, TO YOKE 1999
40-4031	ADAPTER, DIN TO USA YOKE (WILL NOT WRK W/ FDXI, EDX, SPX)

PART NO.	ITEM
CONVERSION KITS	
40-4032	KIT, CONVERT, DIN, SP5
40-4033	KIT, CONVERT, USA YOKE, SP5
40-4045-99-1	KIT, ENVIRON, CDX/DXI
40-6133	KIT, RETROFIT, CDX/DXI, YOKE
40-6141	KIT, SVC, FDXI CONVERSION
SERVICE KITS	
40-6139	KIT, SVC, OMEGA 2 & 3/ZETA
40-6166	KIT, SVC, EOS/NEO/ZEO/DELTA 5/ALPHA 10, 2ND STG
40-6180	KIT, SVC, DELTA 1-4/ALPHA 1-9/GT(3)/GAMMA/EXP/MAG&SWIV OCTO/SLIM 1-2, 2ND STG
40-6181	KIT, SVC, SPORT PISTON/SP4-6/SPX, 1ST STG
40-6183	KIT, SVC, CDX5/CDX PRE '17/TDX5, 1ST STG
40-6184	KIT, SVC, FDXI/CDX/EDX, 1ST STG
40-6185	KIT, SVC, FDX10, 1ST STG
40-6186	KIT, SVC, PRE95 PISTON/95 BAL PISTON/PX2/PX3, 1ST STG
08-9702	KIT, SVC, AIR XS1/XS2
MOUTHPIECE	
07-2001-07	MOUTHPIECE, STD, BK (12 PK)
07-2003	MOUTHPIECE, OC, ORTHO, CL
07-3001	MOUTHPIECE, EXPLORERS (SM)
07-3007	MOUTHPIECE, OC, ORTHO, BK
07-4485-07	MOUTHPIECE, OC, ORTH, BK (12 PK)
07-4485-10	MOUTHPIECE, OC, ORTH, CL (12 PK)

DIVE COMPUTERS

COMPUTERS

NEW
NOW
SHIPPING



PROPLUS X



VTX



OCi



PROPLUS 3



GEO® 2.0



B.U.D.



VEO 2.0



F.10

DIVERLOG

DO SOMETHING WITH YOUR DATA

DiverLog for Mac & mobile devices is the essential scuba diving tool that keeps all your dive data safe, organized, & accessible. DiverLog for Mac & mobile devices is a digital log book for your recording your dives. It allows you to upload and save data recorded by your personal dive computer, or input your data manually. Once uploaded, DiverLog gives record-by-record dive details including depth, elapsed dive time, ascent rate, temperature and more. Better still, DiverLog syncs with your dive computer, ensuring you and your computer are always ready for the next dive. **Download DiverLog Lite for free. Or to maximize your DiverLog experience by having access to even more features, purchase DiverLog Full or DiverLog Mobile.**

MAC & ANDROID†		MOBILE
Lite	Full	

WHAT YOU GET FOR FREE

View, edit & manage DC dive detail data
View dive history data
Search dives based on max depth, time, location, and more
View, edit, & manage favorite dive spots & locations
View, edit, & manage dive gear
View, edit, & manage dive buddies & contacts
Easy access to help & support
Add multiple dive computers from supported manufacturers*
Software auto-update
Searchable in-application help
Add photos, YouTube videos to dives
Update DC firmware easily when online

DIVERLOG FULL & DIVERLOG MOBILE

To maximize your DiverLog experience, purchase **DiverLog Full** for only **\$24.95**. Or **DiverLog Mobile** for only **\$11.99**. In addition to all the features listed above, you'll get...

Keep track of personal data including medical and certification information
Configuration preferences, including english/metric units, language selection (English, Italian, French, German, Spanish, Turkish, Chinese, Japanese), and more!
Synchronize with DiverLog for IOS (Full) and OSX (Mobile)
Social sharing features
DC configuration & setup easily via DiverLog before dives
Import/Export options in multiple formats*

* Not available on DiverLog Mobile

†DiverLog is currently available for Mac OSX 10.7, IOS 6.0, & Android 4.3 or higher. Visit eDiverLog.com for more information.

DOWNLOAD
FREE
DIVERLOG
LITE



YOUR DIVE DETAILS

All your dive data, locations, computers used, tank type/size, dive mode, EDT, NDT, modes, even your DC setpoints! Easily keep track of all the important information for each dive.



YOUR DIVE PROFILE

Intuitive, attractive, and interactive dive profile graphs. Simulate your dive in real-time, add photos & memos to specific points, view data in tabular and graphical format, and much more.



YOUR DIVE HISTORY

Your dive listing gives easy access to old dives. You can also use DiverLog's powerful search query features to filter by location, dive type, and more!

ediverlog.com

COMPUTERS

View your dives and photos, share with friends, and take advantage of the advanced features DiveCloud has to offer. You'll never think of your dive data the same again!

Subscription

File upload on divecloud.net

Upgrade to the subscription version of DiveCloud for **only \$10 per year**. In addition to all above features, you'll get...

DiverLog sync



DiverLog can export your dives in DL7 standard format.

DOWNLOAD
FREE



DiveCloud gives you secure, expandable storage to store your dives. You can sync and/or import from your favorite dive log software and supported devices, and you can even upload files right here on divecloud.net.











DiveCloud gives you multiple ways to share your dives, including secure web links, user-to-user sharing and sharing via social media like Facebook and Twitter.



DiveCloud is integrated with DiverLog for PC/Mac and eDiverLog for Mobile, and your dives sync automatically. Access your full dive history wherever you are!

divecloud.net

DIVE COMPUTER COMPARISON CHART

	PROPLUS X	VTX	OCi	PROPLUS 3	GEO 2.0	VEO 2.0	B.U.D.	F.10
Computer Type	Air Integrated Console High Visibility TFT display w/ bluetooth	Hoseless Air Integrated Color OLED display w/ Bluetooth	Hoseless Air Integrated Wrist Watch	Air Integrated Console	Wrist Watch	Module, Wrist or Console	Universal Backup	Wrist Watch
Operating Modes	NORM (Air & Nitrox), Gauge	NORM (Air & Nitrox), Gauge, Free	NORM (Air & Nitrox), Gauge, Free, Free Tech (Advanced Settings)	NORM (Air & Nitrox), Gauge	NORM (Air & Nitrox), Gauge, Freedive	NORM (Air & Nitrox), Gauge, Freedive	NORM (Air, Nitrox)	Freedive Mode (displays Depth and Elapsed Dive Time)
Interface	Menu	Menu	Menu	Sequence	Sequence w/ Step Back	Sequence	Sequence	Sequence w/ Step Back
Controls	4 Buttons	3 Buttons	4 Buttons	2 Buttons	4 Buttons	2 Buttons	1 Button	4 buttons
Max Operating Depth	330 ft (100 m)	330 ft (100 m)	330 ft (100 m) 495 ft (100 m) in Tech Free	330 ft (100 m)	330 ft (100 m)	330 ft (100 m) 399 ft (120 m) in GAUGE	330 ft (100 m)	330 ft (100 m)
Gauge Mode Run Timer	✓	✓	✓	✓	✓	—	—	—
Calculate Nitrogen in Free Mode (allows switching FREE to NORM)		✓	✓ (excluding Free Tech)		✓	✓	—	—
Display	TFT	Active Matrix OLED	Dot Matrix	Segmented LCD	Segmented LCD	Segmented LCD	Segmented LCD	Segmented LCD
Digital Compass	3D Digital	3-Axis / Full Tilt	2-Axis	—	—	—	—	—
Nitrox Mixes	3 (21 – 100%)	4 (21 – 100%)	4 (21 – 100%)	3 (21 – 100%)	2 (21 – 100%)	1 (21 – 50%)	1 (21 – 50%)	1 (21 – 50%)
Algorithm*	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™
Algorithm Reset	Desaturation	Desaturation	Desaturation	Desaturation	24 Hours	24 Hours	24 Hours	24 Hours
Conservative Factor	On / Off	On / Off	On / Off	On / Off	On / Off	On / Off	On / Off	On / Off
Auto Altitude Adjustment	✓	✓	✓	✓	✓	✓	✓	✓
Variable Ascent Rate Indicator	✓	✓	✓	✓	✓	✓	✓	✓
Safety Stop	Set Depth, Time & Manual Run Timer	Set Depth, Time & Manual Run Timer	Set Depth, Time & Manual Run Timer	Set Depth, Time & Manual Run Timer	Set Depth, Time & Manual Run Timer	Set Depth, Time & Manual Run Timer	15 ft (4.5 m) for 3 min	15 ft (4.5 m) for 3 min
Deep Stop ON / OFF	✓	✓	✓	✓	✓	✓	—	—
Turn Around Pressure Alarm	✓	✓	✓	✓	—	—	—	—
On-Unit Log Capacity	99 Dives (24/day)	24 Dives	24 Dives	24 Dives	24 Dives	24 Dives	—	99 dive log with Max Depth, EDT, Surface Interval
History	✓	✓	✓	✓	✓	✓	—	✓
Last Dive Display (Max Depth & Dive Time)	✓	✓	✓	✓	✓	✓	—	✓
PC / Mac Interface - Download - Settings Upload - Firmware Update - Earmark - Memory	✓ ✓ ✓ ✓ 60 Hours	✓ ✓ ✓ ✓ 130 Hours	✓ ✓ ✓ ✓ 60 Hours	✓ ✓ ✓ — 60 Hours	✓ ✓ ✓ — 60 Hours	✓ ✓ ✓ — 60 Hours	—	✓ ✓ ✓ — 60 Hours
DiverLog iOS Compatible	Sync via DiverLog for Mac & PC (USB) or DiveCloud®	Direct Download via Bluetooth 4.0 LE or Sync via DiverLog for Mac & PC (wifi) or DiveCloud®	Sync via DiverLog for Mac & PC (USB) or DiveCloud®	Sync via DiverLog for Mac & PC (USB, Bluetooth) or DiveCloud®	Sync via DiverLog for Mac (wifi) or DiveCloud®	Sync via DiverLog for Mac (wifi) or DiveCloud®	—	Sync via diverlog for Mac & PC (USB) or Divecloud
Sampling Rate (seconds)	NORM / GAUG: 2, 15, 30, 60	NORM / GAUG: 2, 15, 30, 60 Free: 1	NORM / GAUG: 2, 15, 30, 60 Free: 1 Tech Free: 25, 50, 1, 2	NORM / GAUG: 2, 15, 30, 60	NORM / GAUG: 2, 15, 30, 60 Free: 1	NORM / GAUG: 2, 15, 30, 60 Free: 1	—	—
Backlight	✓	Adjustable Intensity & Auto Dim Percentage & Time	Yes - with Auto Activation Option in Tech Free	✓	✓	✓	—	Auto Backlight Illumination
Audible Alarm	✓	✓	✓	✓	✓	✓	—	✓
Visual Alarm	Color coded information: Amber = Warning, Red = Alarm	Color coded information: Amber = Warning, Red = Alarm	Red LED	Red LED	Red LED	Red LED	—	User defined surface recovery timer, repeating elapsed dive time alarm, repeating depth interval alarm and 3 max depth alarms - with flashing LED
Alarm Acknowledgment	✓	✓	✓	✓	✓	✓	—	✓
Battery	Rechargeable, Factory replacement only	Diver Replaceable Wrist Unit: (1) 3v CR2 Transmitter: (1) 3v CR2	Diver Replaceable Wrist Unit: (1) CR2450 Transmitter: (1) 3v CR2	Diver Replaceable (1) 3v CR2	Diver Replaceable (1) CR2430	Diver Replaceable (1) CR2450	Diver Replaceable (1) CR2430	Diver Replaceable (1) CR2430
Battery Life	Average 55-60 dive hours at 60% brightness (35-40 hours at 100% brightness)	Wrist Unit: 15 dive hours at 100% Brightness with Auto Dim set OFF. 34 hours at 60% Transmitter: 1500 Hours	300 Dive Hours Transmitter: 1500 Hours	300 Dive Hours	300 Dive Hours	300 Dive Hours	300 Dive Hours	300 Dive Hours
Warranty	2 Year	2 Year	2 Year	2 Year	2 Year	2 Year	2 Year	2 Year
Made In								

* Dual Algorithm provides a choice between Pelagic DSAT® (Spencer/Powell Data Basis) and Pelagic Z+ (Buhlman ZHL-16C Data Basis) † With optional USB Cable ‡ Based on 30 second sampling rate
**** Based on 2 Dives per day.

PROPLUS X

PERFECTLY CLEAR



Introducing the ProPlus X, a new take on a classic solution. From the display to the battery, we've re-thought everything.

The heart of the ProPlus X is an amazingly bright, low energy consumption, Thin-Film Transistor (TFT) display. Divers will have no problem seeing dive data in bright surface conditions or lowering the intensity for night dives. The large, easy-to-read screen also has an intuitive color coded interface, high-resolution bar graphs, and the largest, most legible, digits of any high visibility TFT dive computer on the market.

By taking advantage of the 4 buttons and an improved user interface, the ProPlus X is a cinch to set up and use on a dive. Our patented Air Time Remaining and Dual Algorithm's, and advanced digital compass provide accurate, reliable and easily accessed dive data.

Combined with BlueTooth LE connectivity, a rechargeable lithium battery and quick disconnect hose, the ProPlus X is a true step forward for dive computers.

Computer Type	Air Integrated Console
Display Type	High Visibility TFT
Buttons	4
Modes	Norm (Air / Nitrox), Gauge
Nitrox Mixes	3 (21 – 100%)
Custom Alarms	✓
Digital Compass	✓
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	Adjustable w/ Timer
Deep Stop	✓
On-Unit Log Capacity	99 Dives (24 dives per day)
PC Interface	✓ BlueTooth & USB download
Firmware Update	✓
Backlight	✓
Rechargeable Battery	✓ (up to 60 hours per charge)
Warranty	2 years



NEW
NOW
SHIPPING



IN THE BOX:

ProPlus X, charger connection module, USB/mini USB charger cable, screen protector, zippered protective storage/carrying case, 32" high pressure hose with quick disconnect.



DIVERLOG MOBILE SOFTWARE

The ProPlus X connects with Diverlog mobile software via Bluetooth 4.0. Control your settings, view log and profile data, add locations, notes, and even share dives via email, Facebook and more. Whether you're on the boat, on the beach or in your home.



PART NO.

ITEM

04-1029-07	PRO PLUS X CONSOLE W/QD HOSE
04-1500-1	HOSE, HP, PPX QD
04-9614	USB INTERFACE / CHARGER, PPX
04-8246	LENS COVER, PPX

VTX

READY, SET, DIVE.



The future of personal dive computers powered by OLED color display and Bluetooth technology has arrived. Cutting-edge technology coupled with powerful features could not be any easier to experience. A hoseless, optionally air-integrated computer with patented air time remaining algorithm. High contrast OLED color screen, tilt compensated 3-axis digital compass, Bluetooth ready, up to 4 nitrox mixes, user replaceable battery, and an intuitive push button menu system.

Computer Type	Hoseless Air-Integrated Dive Computer (Optional Transmitter)
Modes	Norm (Air & Nitrox), Gauge, Free Dive & Compass
Display	Active Matrix OLED with adjustable intensity and auto-dim option
Multiple Transmitters	(4)
Digital Compass	3-Axis with Full Tilt Compensation
Nitrox Mixes	4 (21-100%)
Custom Alarms	✓
Alarm Acknowledgment	✓
Algorithm	Dual Algorithm™
Auto Altitude Adjust	✓
Ascent Rate Monitor	✓ (Depth dependent)
Safety Stop	Adjustable with timer
Deep Stop	Optional
Dive Log Capacity	24 Dives
PC Interface	Diverlog - MAC (mobile, cloud & comp) Oceanlog - PC (comp only)
Bluetooth Interface	Bluetooth 4.0 LE wireless download & settings upload (Diverlog only)
Firmware Update	✓
Diver-Replaceable Batteries	✓ (3v CR2)
Battery Life	30 dive hours
Warranty	2 years



Optional Transmitter



OPTIONAL BUNGEE & RETRACTOR MOUNT



DIVERLOG MOBILE SOFTWARE

The VTX has the unique capability to pair with Diverlog mobile software via Bluetooth 4.0. Control your settings, view log and profile data, add locations, notes, and even share dives via email, Facebook and more. Whether you're on the boat, on the beach or in your home.

WHAT'S IN THE BOX

VTX, lens protector, high-density wrist strap, 2 extra CR2 batteries, safety and reference manual, data transfer cable, protective carrying case



PART NO.	ITEM
04-6271	VTX COMPUTER W/USB
04-8111	VTX LENS COVER
04-1465	VTX, BUNGEE MOUNT KIT
04-8253-07	STRAP SET, VTX, BLACK
04-6175-85	BATTERY KIT, VTX
819228-07	HATCH, BATTERY, VTX RECEIVER
04-9701	BLUTETOOTH 4-0 LE DONGLE, VTX
04-6175-70	BATTERY KIT, TRANSMITTER
04-8000-02	TRANSMITTER ONLY
04-9702	USB W/CABLE

OCI

THE I STANDS FOR INCREDIBLE

The Oceanic OCi is an advanced all-in-one dive computer featuring Oceanic's exclusive Dual Algorithm, optional wireless air-integration, digital compass, and so much more. All in a strong, lightweight housing.

Computer Type	Air Integrated Dive Computer (Optional Transmitter)
Modes	Norm, Tech, Gauge, Comp, Watch, Free Dive, Tech Free Dive
Multiple Transmitters	✓ (4)
Digital Compass	✓
Nitrox Mixes	4 (21 – 100%)
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	Adjustable with Timer
Deep Stop	✓
On-Unit Log Capacity	24 Dives
PC Interface	Diverlog - MAC (mobile, cloud & comp), Oceanlog - PC (comp only)
Firmware Update	✓
Backlight	✓
Diver Replaceable Batteries	✓ (CR2450)
Warranty	2 years

Black



Optional Transmitter



White



WHAT'S IN THE BOX

OCi, lens protector, dive computer resources DVD, (operating manuals, PC interface software, USB Drivers), safety and reference manual, data transfer cable, and Quick Start Guide.



Black/Titanium



Black/Black



Black/Blue

PC INTERFACE SOFTWARE

Control your settings, view log and profile data, add locations, notes, and more with Oceanlog (for PC users) and Diverlog (for MAC users).



PART NO.

ITEM


04-8792-24	OCI, COMPUTER W/USB, WHITE
04-8792-29	OCI, COMPUTER W/USB, BLACK/TITANIUM
04-8792-79	OCI, COMPUTER W/USB, BLACK/BLUE
04-8792-07	OCI, COMPUTER W/ USB, BLACK/BLACK
04-8250-07	STRAP SET, OCS/OCI BLACK/BLACK
04-8250-24	STRAP SET, OCS/OCI WHITE
04-8250-29	STRAP SET, OCS/OCI BLACK/TITAN
04-8250-36	STRAP SET, OCS/OCI BLACK/YELLO
04-8250-49	STRAP SET, OCS/OCI BLACK/RED
04-8250-79	STRAP SET, OCS/OCI BLACK/BLUE
04-8000-02	TRANSMITTER ONLY
04-6175-70	BATTERY KIT, TRANSMITTER
04-8242-2	LENS COVER, OCS/OCI
04-6175-37	BATTERY KIT, OCS/OCI/F11
04-9612	USB CABLE, OCI

PROPLUS 3

NO MORE SQUINTING

Dive computers are supposed to deliver crucial data quickly and without confusion. That's why the ProPlus 3 combines a huge display area with the largest and most legible digits on the market, an intuitive user interface and a host of major feature enhancements. See for yourself.

Computer Type	Air Integrated Console
Modes	Norm (Air / Nitrox), Gauge
Nitrox Mixes	3 (21 – 100%)
Custom Alarms	✓
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	Adjustable with Timer
Deep Stop	✓
On-Unit Log Capacity	24 Dives
PC Interface	Optional
Firmware Update	✓
Backlight	✓
Diver Replaceable Batteries	✓ (3v CR2)
Warranty	2 years



COMPUTERS



PROFESSIONAL PACKAGE

Save big when you buy as part of a package. See page 4 for details.



PART NO.	ITEM
04-1071-07	PRO PLUS 3 W/COMPASS
04-1074-07	PRO PLUS 3 W/QD/COMPASS/USB
04-1078-07	PRO PLUS 3 W/QD/COMPASS/USB, SH
04-6175-95	BATTERY KIT, PP2 / PP3
04-8300	LENS COVER, PP3
04-9606	OCEANLOG, USB, DC VER 3, PP2.1, PP3
04-1026	COMPASS ASSY, PP/PP2 SWV
04-1400-1	PRO PLUS 3 QD ASSY

GEO® 2.0

QUALITY, FUNCTION & STYLE



COMPUTERS

The Geo 2.0 has an upgraded look with a stainless steel accent ring and new color combination—and now includes Dual Algorithm™, Deep Stop option and a redesigned user interface with "Step Back"—which allows forward and backward navigation through menus. A second Nitrox mix is available, as well as Firmware Auto-Update.

Computer Type	Wristwatch
Modes	Norm (Air / Nitrox), Gauge, Free, Watch
Nitrox Mixes	2 (21 – 100%)
Custom Alarms	✓
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	Adjustable with Timer
Deep Stop	✓
On-Unit Log Capacity	24 Dives
PC Interface	Optional
Firmware Update	✓
Memory	50 hours
Backlight	✓
Diver Replaceable Batteries	✓ (CR2430)
Warranty	2 years



White/Sea Blue



Titanium/Slate Blue

PART NO.	ITEM
04-8929-16	GEO 2, TITANIUM/SLATE BLUE
04-8929-89	GEO 2, WHITE/SEA BLUE DECAL
04-9610	OCEANLOG, ATOM/GEO 2/F.10
04-6175-05	BATTERY KIT, ATOM/GEO/F.10
04-8108-2	LENS COVER GEO 2 STICK ON
04-8347-29	STRAP SET, ATOM 3-1/GEO 2.0, TI
04-8900-24	STRAP SET, GEO 2 WHITE

VEO 2.0

TECHNOLOGY HAS NEVER BEEN EASIER

Brimming with all the tech and performance features serious divers seek and Oceanic's trademark ease-of-use, the VEO 2.0 could not only be your first PDC, but the last you'll ever need. Powered by Dual Algorithm™.



Computer Type	Module, Wrist or Console
Modes	Norm (Air / Nitrox), Gauge, Free
Push Buttons	2
User Interface	Click Forward, Fast Scroll
Nitrox Mixes	1 (21 – 50%)
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	Adjustable with Timer
Deep Stop	✓
On-Unit Log Capacity	24 Dives
PC Interface	Optional
Firmware Update	✓
Memory	50 hours
Backlight	✓
Audible Alarm	✓
Diver Replaceable Batteries	✓ (CR2450)
Warranty	2 years



PART NO.	ITEM
04-3700-67	VEO 2.0 MODULE (NO LEGS)
04-3705-67	VEO 2.0 WRIST
04-3710-67	VEO 2.0 COMBO ORG
04-3715-67	VEO 2.0 COMBO ORG METRIC
04-3720-67	VEO 2.0 NAVCON ORG
04-3725-67	VEO 2.0 NAVCON ORG METRIC
04-9606	OCEANLOG, USB, DC VER 3, PP2.1, PP3
04-4713	HPQD HOSE, VEO/SWIV
04-4714	HOSE PROTECTOR, VEO, STD
04-6175-40	BATTERY KIT, VER/VP/VT/PR/VEO
04-6175-45	TOOL, BATT COVER, VERSA/ VT/ A
04-8240	LENS COVER, VEO PLASTIC

B.U.D.

NEVER MISS A DIVE

The B.U.D. is a long overdue idea and a great way to ensure that you never have to miss a dive. Clip it off or stow it in a pocket and forget about it. B.U.D. is a universal backup dive computer that uses Dual Algorithm technology allowing you to adjust your dive computer's settings to closely match just about any other dive computer on the market making it the perfect backup device. You should never have to use it, but if you do need it, your B.U.D. will be there to save your next dive. This new dive computer is a must for every diver to carry because no matter what computers you are using, you will be able to set your B.U.D. to closely match any computers profile using the Oceanic's patented Dual Algorithm.

Computer Type	Universal Backup
Modes	Norm (Air / Nitrox)
Nitrox Mixes	1 (21 - 50%)
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	3 min. @15 ft (4.5 m)
On-Unit Log Capacity	Last Dive
Diver Replaceable Batteries	✓ (CR2430)
Warranty	2 years



PART NO.	ITEM
04.2250.36	B.U.D. YL

F.10

GO DEEP

The F.10 dedicated freediving watch comes equipped with everything you'll need for one deep breath. Provides digital depth, elapsed dive time on the surface and underwater, and a generous collection of customizable audible and visual LED alarms and interval prompts for ultimate performance and safety.

Max Operating Depth	330 ft (100 m)
Alarm Indication	Audible, Led, Alpha Numeric & Backlight
Backlight	Push Button (User-Defined Duration)
Depth Alarm	3 Set Points—Descent Only
Log + History	99 Dives (View by Day or All)
Sampling Rate	1 Sec
Audible Alarm	Elapsed Dive Time (EDT) & Depth Alarm
Count Down Timer	Countdown Alarm + Auto Reset & Repeat
Activation	User Set (Wet or Pressure/Depth)
Surface Recovery Timer	✓ (User-Set Interval)
Repeating Dpth Intrvl Alrm	✓
Repeating EDT Timer	✓
Run Timer	✓
Set Salt/Fresh Water	✓
Altitude Adjustment	✓
Diver Replaceable Batteries	✓ (CR2430)
Warranty	2 years



Endorsed by F.I.I.



PART NO.	ITEM
04-5849	F.10 V.3 FREE DIVING WATCH
04-8106	LENS COVER ATOM/BUD/F10 FLAT
04-9610	OCEANLOG, ATOM/GEO 2/F.10
04-6175-05	BATTERY KIT, ATOM/GEO/BUD/F10, CR2430
04-5853	STRAP SET, F.10, ATOM 2.0, GEO 1, BLACK

ANALOG INSTRUMENTS



SWIV MAX DEPTH GAUGE



OIL-FILLED DEPTH GAUGE



SWIV SUBMERSIBLE
PRESSURE GAUGE



PONY BOTTLE GAUGE



SWIV COMPASS



SIDESCAN COMPASS

SWIV GAUGES

SWIV MAX DEPTH GAUGE

Non-linear depth scale is easier to read in shallow depths

OceanGlo® luminescent backing

200 ft (60 m) maximum depth reading

Automatic maximum depth indicator

Easily swap gauge modules

SWIV SPG

The SWIV Submersible Pressure Gauge is an accurate and reliable submersible pressure gauge rated to 5,000 psi. Available as a stand-alone gauge or in any Oceanic SWIV console.

Compatible with SWIV Consoles

Nitrox compatible to 50%

OceanGlo® luminescent backing

Shock resistant bourdon tube mechanism

Integrated temperature gauge

One-way safety valve

500 psi fluorescent caution zone

SWIV COMPASS

Large, easy-to-read bearing indicators

High visibility lubber line

Direct and reciprocal index points

OceanGlo® luminescent backing

Large ratcheting bezel

Top or side reading



PART NO.	ITEM
SWIV MAX DEPTH GAUGES	
04-1840	MAX DEPTH SWIV COMBO
04-1865	MAX DEPTH SWIV 2 NAVCON
04-1660	MAX DEPTH SWIV MODULE
SWIV SUBMERSIBLE PRESSURE GAUGE	
04-1370	SPG SWIV MODULE, W/TAB
04-1372-07	SPG SWIV, WITH BOOT, BK
04-1373	SPG SWIV MODULE, W/O TAB
SWIV COMPASS	
04-1026	COMPASS ASSY, PP/PP2 SWV
04-1050	COMPASS, MODULE SWIV (NEW STYLE)
04-1051	COMPASS, WRIST MT SWIV
04-1052	COMPASS, CLIP MT SWIV
04-1059	COMPASS, BUNGEE MT
04-1053	COMPASS, HOSE MT SWIV

OIL-FILLED DEPTH GAUGE

The Oil-Filled Depth Gauge is a great value, designed to fit virtually all Oceanic consoles. Rugged, inexpensive and fully covered by Oceanic's warranty and reputation.

Rugged and economical design

Fluorescent markings at 10', 20', 30', and 130'

150 ft (45 m) maximum depth reading

Large luminous display for easy reading

SLIMLINE SPG

Compatible with Oil-Filled and pre-SWIV Oceanic Consoles

Nitrox compatible to 50%

OceanGlo® luminescent gauge face absorbs light

Shock resistant bourdon tube mechanism

Integrated temperature gauge

One-way safety valve

500 psi fluorescent caution zone

SIDESCAN COMPASS

For reliable underwater navigation, the SideScan Compass is hard to beat. Large, easy-to-read bearing indicators on our extremely bright OceanGlo® luminescent floating card make quick work of navigation, especially in limited visibility.

Compatible with Oil-Filled and pre-SWIV Oceanic Consoles

Rugged and economical design

Large luminous display for easy reading

PONY BOTTLE GAUGE

The miniature Pony Bottle Gauge is a fully functional submersible pressure gauge rated to 5,000 psi. Ideal for back-up air supplies or decompression tanks, the Pony Bottle Gauge is the perfect accessory for use with wireless PDC's, allowing you to quickly pressure check your cylinder without linking your receiver unit.

Threads directly into any standard first stage high-pressure port

Nitrox compatible to 100% O2

Large numbers and green, yellow & red indicators for easy monitoring

One-way safety valve

Measurement range 400 Bar / 5000 PSI

PART NO.	ITEM
	OIL-FILLED DEPTH GAUGE
04-1835	OIL FILLED 150' COMBO
04-1611	OIL FILLED 150' MODULE
	SLIMLINE SPG
04-1338	SPG SLIMLINE MODULE

PART NO.	ITEM
	SIDESCAN COMPASS
04-1014	COMPASS, MODULE SIDESCAN (OLD STYLE)
04-1500	PONY BOTTLE GAUGE
04-1510	PONY BOTTLE GAUGE, BAR



INSTRUMENT PARTS & ACCESSORIES

PART NO-	ITEM
LENS COVERS	
04-8106	LENS COVER 1 & 2 / EPIC FLAT
04-8107	LENS COVER GEO
04-8108-2	LENS COVER GEO 2 FLAT
04-8200	LENS COVER, PRO PLUS/PP2
04-8220	LENS COVER - VER/VERPRO/VTPRO
04-8222	LENS COVER, VT4
04-8240	LENS COVER, VEO PLASTIC
04-8242-1	LENS COVER, OC1 (HARD PLASTIC)
04-8242-2	LENS COVER, OC1/F11/OCS/OC1 FLAT
04-8243	LENS COVER, ATOM 3/BUD/F10 FLAT
04-8245	LENS PROTECTOR, OCL
04-8300	LENS PROTECTOR, PRO PLUS 3
04-8246	LENS COVER, PPX
BATTERY KITS	
04-6175-04	BATTERY KIT, F.10
04-6175-05	BATTERY KIT, ATOM/GEO
04-6175-20	BATTERY KIT, DATATRANS RECEIVE
04-6175-25	BATTERY KIT, DATAMASK
04-6175-30	BATTERY KIT, DATA 100 TYPE
04-6175-35	BATTERY KIT, OC1
04-6175-37	BATTERY KIT, OCS, OC1, F.11
04-6175-40	BATTERY KIT, VER/VP/VT/PR/VEO
04-6175-60	BATTERY KIT, DATA PLUS 2
04-6175-70	BATTERY KIT, TRANSMITTER
04-6175-80	BATTERY KIT, XTC100
04-6175-90	BATTERY KIT, PROPLUS
04-6175-95	BATTERY KIT, PROPLUS 2
04-6180-21	BATTERY 1/2 AA TEK (OC) (10 MI
04-6180-96	BATTERY CR2 (OC) (10 MIN)
04-6175-85	BATTERY KIT, VTX
COMPUTER INTERFACE	
04-9600	OCEANLOG, USB, DC VER 1, PP2
04-9606	OCEANLOG, USB, DC VER 3/PP2.1/PP3/VEO
04-9610	OCEANLOG, ATOM/GEO 2/F.10
04-9612	OCEANLOG,USB,DC-V4/OC1/OCS/F11
04-8111	VTX LENS CABLE W/ ADPTR, VTX
04-9701	BLUTETOOTH 4.0 LE DONGLE, VTX
04-9702	USB W/CABLE, VTX
04-9612	USB, OC1/DC-V4,OC1/OCS/F11
04-9614	USB INTERFACE / CHARGER, PPX
TRANSMITTERS	
04-8000-02	TRANSMITTER ONLY
HPQD HOSES	
04-4703	HPQD HOSE, VERSA/VERSA PRO
04-1300-1	HOSE, HP, QUICK DISCONNECT, PP2
04-4713	HPQD HOSE, VEO/SWIV
04-1400-1	PRO PLUS 3 QD ASSY
04-1500-1	HOSE, HP, PPX QD
HOSES HIGH PRESSURE	
04-1128	HOSE, HP, 28"
04-1130	HOSE, HP, 36"
PART NO- ITEM	
INSTRUMENT PARTS	
04-1025	COMPASS BRACKET, VT PRO
04-1132	HOSE PROTECTOR, BK, BULK/12
04-4704	HOSE PROTECTOR, VER/VPRO,STD
04-4714	HOSE PROTECTOR, VEO, STD
04-1211-07	BRACKET SET, SWIV, BK
04-1211-36	BRACKET SET, SWIV, YE
04-1406	BRACKET, END CAP PP2/PP2-1/PP3
04-6053	HATCH, BATTERY, TRANSMITTER
04-6175-45	TOOL, BATT COVER, VERSA/ VT/ A
04-9002	SPOOL, HP, W/STD ORINGS
04-9008	SPOOL, HP, W/VITON ORINGS
810127	SCREW, BATT HATCH, 3/16 XTC (QTY 2), PRO PLUS, PRO PLUS 2 (QTY 4)
810128	SCREW, BATT HATCH, 5/16 XTC (QTY 2), DATA PLUS 2 (QTY 3), PROPLUS 3
810510	HATCH, BATTERY, XTC

PART NO-	ITEM
814158	RING, BATTERY, VEO 100/200
814193	SHIM, BOOT, VEO TYPE
814507-07	HATCH, BATT, ATOM/GEO/F10
814526-02	PIN, GEO STRAP
814527-02	SCREW, GEO STRAP
814540	O-RING, HATCH ATOM/GEO STYLE
814742	SCREW, BATT HATCH, OC1 SINGLE
814795	ORING, BATT HATCH, OC1
814858	NUT, STRAP, OC1 SINGLE
814859	PIN, STRAP, OC1 SINGLE PIN
815231-07	FLANGE, DATAMASK (SKIRT)
815234-1-68	LENS, FRONT, DATAMASK
815235	GASKET, FRONT LENS, DATAMASK
815240	LENS RETAINER, DATAMASK
815246-07	COVER, BATTERY, DATAMASK
815278-1-68	STRAP, DATAMASK
815314	SCREW, BUCKLE, DATAMASK
815316	BUCKLE, STRAP, DATAMASK
815317	BACKPLATE, BUCKLE, RT, DMASK
815318	BACKPLATE, BUCKLE, LT, DMASK
815355	ORING, BATT COVER, DATAMASK
817831	HATCH, BATT, VERSA/VEO100
817831-A	HATCH, BATT, VP/V200/VT, ASSY
817832	TAB, BATTERY (CR2450) VEO100/150/180/200/250, VERSA/VERSA PRO, VP PRO, VT3
817833	RING, BATTERY, VER/VP/VT/PRO
819174	SHIM, BOOT, PRODIGY TYPE
819472	HATCH, BATTERY, PRO PLUS, PP2 & PP3
40-9315	TOOL, INTER PRESS GA, THREADED
40-9315-1	TOOL, ADAPTER, IP GA TO LPQD
5057	HATCH, BATTERY, 2032 CELLS DMX SPORT, PRODIGY, DATA 100, DATA PLUS
INSTRUMENT BOOTS	
04-1104	BOOT, HOSE MT, COMPASS, SWIV
04-1105	BOOT, HOSE MT, COMPASS SIDESCN
04-1110-07	BOOT, HOSE MT, DEPTH, NON SWIV
04-1112	BOOT, CLIP, COMPASS, SWIV
04-1138	BOOT, WRIST, COMPASS, SWIV
04-1170	BOOT, WRIST, VEO, VEO 1.0, 1 T
04-1171	BOOT, WRIST, VEO, 1 TOP 1 SIDE
04-1172	BOOT, WRIST, VEO 2 NO LEGS
04-1178	BOOT, WRIST VEO 3.0
04-1179	BOOT, WRIST VEO 2.0 W/LEGS
04-1208	BOOT, WRIST, LOW PROFILE, BK
04-1209	BOOT, WRIST, MAX DEPTH, SWIV
04-1210-07	BOOT ASSY, SWIV 1, SPG W/TAB, BK COMBO & NAVCON (COMPASS ON BACK)
04-1210-36	BOOT ASSY, SWIV 1, YE COMBO AND NAVCON (COMPASS ON BACK)
04-1210-42	BOOT ASSY, SWIV 1, GY COMBO AND NAVCON (COMPASS ON BACK)
04-1212-07	BOOT PLUG, COMPASS, SWIV
04-1213-07	BOOT, SPG, SWIV CONSOLE, BK
04-1215-07	BOOT, SPG, SWIV
04-1216-07	BOOT ASSY, SWIV 2, BK (VEO 2/MAX DEPTH) NAVCON
04-1216-16	BOOT ASSY, SWIV 2, SLBU (VEO 3.0) NAVCON
04-1216-36	BOOT ASSY, SWIV 2, YL (VEO 1.0) NAVCON
04-1221-07	BOOT, COMBO, W/CLIPS/PORT, BK
04-1275	BOOT, VERSA PRO, VT, VT3
04-1307	BOOT, COMPASS, PP/PP2 SWIV
04-1440	BOOT, WRIST, V-PRO/VT PRO/VT3
STRAP SET	
04-8250-07	STRAP SET, OSC, OC1, BLACK
04-8253-07	STRAP SET, VTX, BLACK
04-8250-24	STRAP SET, OCS/OC1 WHITE
04-8250-29	STRAP SET, OCS/OC1 BLACK/TITAN
04-8250-36	STRAP SET, OCS/OC1 BLACK/YELLO
04-8250-49	STRAP SET, OCS/OC1 BLACK/RED
04-8250-79	STRAP SET, OCS/OC1 BLACK/BLUE
04-8251-07	STRAP SET, OC1, BLACK
04-8900-24	STRAP SET, GEO 2 WHITE
04-8900-24	STRAP SET, ATOM 3.1/GEO 2.0, WHITE
04-8347-29	STRAP SET, ATOM 3.1/GEO 2.0,TI
04-8252-07	STRAP SET, OCL, BLACK
04-8252-24	STRAP SET, OCL, WHITE
04-5853	STRAP SET, F.10, ATOM 2.0, GEO 1, BLACK

BUOYANCY COMPENSATORS



EXCURSION®



JET PACK



HERA



ATMOS



BIOLITE



OCEANPRO



BC COMPARISON CHART

	EXCURSION	JETPACK	HERA	ATMOS	BIOLITE	OCEANPRO
Type	Harness / Rear Inflation	Rear Inflation Travel with Semi-Dry Day Pack	Female Hybrid with Custom Fit Harness	Hybrid	Rear Inflation Travel	Jacket
Air Cell Material	Patented BioFlex®	420 Denier Ballistic Nylon	500 Denier Ballistic Fadeless Nylon	500 Denier Ballistic Fadeless Nylon	Patented BioFlex®	1000 Denier Ballistic Fadeless Nylon
Bungee	✓	✓		✓	✓	
Shoulder/Pocket Panel Material	1680 Denier Ballistic Nylon / 1000 Denier Cordura®	420 Denier Double Coated Quick Dry Ballistic Nylon / 1000 Denier Cordura®	1680 Denier Ballistic Nylon / 1000 Denier Cordura®	1680 Denier Ballistic Nylon / 1000 Denier Cordura®	1000 Denier Cordura®	1000 Denier Cordura®
Self-Draining Expandable Pockets / Closure	(2) #10 Zipper		(2) #5 Zipper	(2) #10 Zipper		(2) #5 Zipper
Integrated Weight System / Capacity	QLR 4 (20 lbs)	Double Lock Hook & Loop (14 lbs)	QLR 4 (20 lbs)	20 lbs Pinch and Release	Zippered Top-Loading Pinch & Release (14 lbs)	Optional QLR 4 (20 lbs) / Optional
Non-Ditchable Weight Capacity	10 lbs	10 lbs	10 lbs	10 lbs	10 lbs	10 lbs
Integrated Backpack	✓		✓	✓	✓	✓
Padded Backpack	✓	✓	✓	✓	✓	✓
Lumbar Support	✓		✓	✓		
Carrying Handle	✓	✓	✓	✓	✓	✓
Tank Positioning Strap	✓	✓	✓	✓	✓	✓
Molded Tank Cradle / Anti-Slip Pad	✓	✓	✓	✓	✓	✓
D-rings	8 Stainless	Daisy Chain Loops	6 Stainless	7 Stainless	Carabiner w/ Daisy Chain Loops	3 Plastic
Sternum Strap	2-Position Adjustable with Safety Whistle	Self-Adjusting	2-Position Adjustable	2-Position Adjustable	Self-Adjusting	Fixed
Cummerbund	Patented Adjustable Depth Compensating	Adjustable	Patented Adjustable Depth Compensating	Patented Adjustable Depth Compensating		Adjustable
Reliant Inflator with Pull-Dump	✓	✓	✓	✓	✓	✓
Right Shoulder Pull-Ball Exhaust			✓	✓		✓
Lower Pull-Dump	✓	✓	✓	✓	✓	✓
Integrated Retractor Mount	✓		✓			
Knife Mount	✓		✓	✓		
Air XS 2 Alternate Inflator	Optional	Optional	Optional	Optional	Optional	Optional
Dry Weight (Large)	9 lbs	6.5 lbs	7.8 lbs	7.5 lbs	5.4 lbs	8 lbs / 7.25 lbs
Warranty	5 Year	5 Year	5 Year	5 Year	5 Year	5 Year

EXCURSION

DIVE MASTER

The Excursion is for the serious adventurer. Our extremely comfortable and stable rear inflation BC is ready for any adventure thast you are.

Rear inflation bladder provides up to 58 lbs lift

Air bladder is made of patented BioFlex material

QLR4 Integrated Weight System 20 lbs plus dual 5 lbs trim

Generous zippered utility pockets with knife mounts

Pre-bent welded stainless steel D-rings

Patented adjustable depth compensating cummerbund

Streamlined harness with reinforced contoured shoulders

Padded backpack with lumbar support

Lift capacity: SM, MD 45 lb; LG, XL 58 lb



QLR4 Patent 6,487,761



PATENT NO. 5,403,123



BUOYANCY
COMPENSATORS



PROFESSIONAL PACKAGE

Save big when you buy as part of a package.
See page 4 for details.



	HEIGHT	WEIGHT (LBS)	CHEST	WAIST
S	5'2" - 5'7"	120 - 155	30" - 40"	30" - 38"
M	5'7" - 5'10"	150 - 155	34" - 44"	32" - 40"
L	6'0" - 6'2"	180 - 210	38" - 48"	34" - 42"
XL	6'2" - 6'5"	195 - 240	40" - 50"	38" - 46"
XXL	6'2" - 6'5"	240 - 275	50" - 55"	46" - 50"

PART NO.

ITEM

08-7135-52	EXCURSION BC, W/QLR4, SM
08-7135-53	EXCURSION BC, W/QLR4, MD
08-7135-55	EXCURSION BC, W/QLR4, LG
08-7135-56	EXCURSION BC, W/QLR4, XL
08-7135-57	EXCURSION BC, W/QLR4, 2XL
08-0093-04	QLR4 WT POCKET, PAIR

JETPACK

THIS IS NOT A BAG

A week's worth of travel friendly gear, no checked bags, under 20 lbs. Can your BC do this?

The one size fits all JetPack combines the comfort of a BC harness with the performance of an adventure-style backpack. BC and backpack clip together for carry-on travel, protecting gear and saving on baggage fees. The backpack detaches for diving, leaving a full-featured BC with 30 lbs lift capacity, weight integration and a custom fit.



TRAVEL BAG

- 42 liter semi-dry
- Water-resistant zippers
- Hide-away backpack straps
- Laptop sleeve with easy zippered access
- Full-zip opening
- Two external zip pockets
- 800 denier (quick-dry) double-coated nylon



BUOYANCY COMPENSATOR

- 14 lbs quick release weight system / 10 lbs trim weight
- One size fits all - infinitely adjustable
- Now also includes rear trim weight pouches
- Adjustable harness and cummerbund
- Adjustable position weight pockets
- Rugged construction
- 1000 Denier Cordura
- 420 denier nylon bladder
- 800 denier (quick-dry) double-coated nylon
- Lift capacity: 30 lbs



FAST DRYING

Strategically placed mesh panels speed drainage & allow the JetPack to dry faster.

PROFESSIONAL PACKAGE

Save big when you buy as part of a package. See page 4 for details.



BUOYANCY
COMPENSATORS

	HEIGHT	WEIGHT (LBS)	CHEST	WAIST
XS	5'0" - 5'5"	100 - 125	26" - 36"	28" - 36"
S	5'2" - 5'7"	120 - 155	30" - 40"	30" - 38"
M	5'7" - 5'10"	150 - 155	34" - 44"	32" - 40"
L	6'0" - 6'2"	180 - 210	38" - 48"	34" - 42"
XL	6'2" - 6'5"	195 - 240	40" - 50"	38" - 46"
XXL	6'2" - 6'5"	240 - 275	50" - 55"	46" - 50"

PART NO. ITEM

008-1050	JETPACK BC
17-0830	JETPACK, DAYPACK ONLY
08-1225-04	WEIGHT POUCH, JETPACK, PR, ZIPPER
08-1225-06	WEIGHT POCKET, JETPACK, SINGLE, VELCRO

*Protected by MRP Policy. Minimum Retail Price cannot be less than 90% of MAP

HERA

LADIES ONLY

The Hera BC from Oceanic comes standard with all the features and durability required of a high-end BC but is built from the ground up for the ladies. The design also incorporates our patented Adjustable Positioning System, rugged yet light-weight materials, plenty of storage, and 30 lbs of integrated weights into what may be the most comfortable, best fitting BC you'll ever wear.

Designed specifically for women divers

Made of 1000D denier Cordura fabric in crucial areas

Patented Adjustable Positioning System (A.P.S.) track

Pre-bent welded stainless steel D-rings

Reinforced contoured shoulders

QLR4 Integrated Weight System 20 lbs plus dual 5 lbs trim

Adjustable depth-compensating cummerbund

Lift capacity: XS 25 lb; SM 31 lb; MD 35 lb; LG 42 lb



QLR4 Patent 6,487,761



ADJUSTABLE POSITIONING SYSTEM

The Hera BC incorporates our patented Adjustable Positioning System (A.P.S.) which guarantees a perfect fit.



PROFESSIONAL PACKAGE

Save big when you buy as part of a package. See page 4 for details.



	HEIGHT	WEIGHT (LBS)
XS	5'0" - 5'5"	100 - 125
S	5'2" - 5'7"	120 - 145
M	5'5" - 5'10"	135 - 160
L	5'7" - 6'0"	155 - 190

PART NO.

ITEM

08-6212-51	HERA BC, W/QLR4, XS
08-6212-52	HERA BC, W/QLR4, SM
08-6212-53	HERA BC, W/QLR4, MD
08-6212-55	HERA BC, W/QLR4, LG
08-0093-04	QLR4 WT POCKET, PAIR

ATMOS

TWO-IN-ONE

The Atmos is a durably-constructed, full-featured hybrid air-cell BC. It's unique, hybrid rear-inflation bladder enables air to "shift," which provides maximum amount of lift and keeps you properly orientated on or below the surface.

20 lbs (9 kg) of integrated weight in the Pinch & Release system and 10 lbs (4.5 kg) trim

Padded backplate features an extended lumbar support to transfer tank weight onto hips, relieving shoulder stress

Three (3) over pressure relief valves optimize buoyancy control

Crucial areas constructed of 1000D denier Cordura fabric


2 large, zippered pockets with knife mounting grommets

Adjustable depth-compensating cummerbund

Lift capacity: SM 30 lb (130 N); MD 35 lb (155 N);
LG 45 lb (200 N); XL 55 lb (240 N)



	HEIGHT	WEIGHT (LBS)	CHEST	WAIST
XS	5'0" - 5'5"	100 - 125	26" - 36"	28" - 36"
S	5'2" - 5'7"	120 - 155	30" - 40"	30" - 38"
M	5'7" - 5'10"	150 - 155	34" - 44"	32" - 40"
L	6'0" - 6'2"	180 - 210	38" - 48"	34" - 42"
XL	6'2" - 6'5"	195 - 240	40" - 50"	38" - 46"
XXL	6'2" - 6'5"	240 - 275	50" - 55"	46" - 50"



PART NO.	ITEM
08-2640-52	ATMOS BC, SM
08-2640-53	ATMOS BC, MD
08-2640-55	ATMOS BC, LG
08-2640-56	ATMOS BC, XL
08-2640-57	ATMOS BC, 2XL
08-0093-06	WEIGHT PKT, PR, ATMOS/EX100

BUOYANCY COMPENSATORS

BIOLITE

LIGHTEN UP

Our lightweight BC weighs in at just 5.5 pounds! The Biolite BC looks to establish itself as a complete solution with the introduction of a new color design and streamlined, integrated weight system. This is the ultimate travel BC with a perfect balance of features and benefits that makes diving a pure joy.

The Biolite keeps things simple with a clean, straightforward design that focuses on comfort and convenience. If your travel plans call for lightweight luggage, then the Biolite BC is definitely for you.

Weighs in at only 5.5 lbs

Pinch & Release System handles up to 14 lbs, plus 10 lbs trim

Low profile makes it easy for traveling purposes

Air bladder is made of patented BioFlex material

Crucial areas made of 1000D denier Cordura fabric

Self-adjusting sternum strap

Depth compensating waist band strap

Lift capacity: SM, MD 25 lb; LG, XL, XXL 29 lb

ONLY
5.5
LBS



	HEIGHT	WEIGHT (LBS)	CHEST	WAIST
XS	5'0" - 5'5"	100 - 125	26" - 36"	28" - 36"
S	5'2" - 5'7"	120 - 155	30" - 40"	30" - 38"
M	5'7" - 5'10"	150 - 155	34" - 44"	32" - 40"
L	6'0" - 6'2"	180 - 210	38" - 48"	34" - 42"
XL	6'2" - 6'5"	195 - 240	40" - 50"	38" - 46"
XXL	6'2" - 6'5"	240 - 275	50" - 55"	46" - 50"

PART NO.	ITEM
	BIOLITE TRAVEL BC
08-2207-51	BIO LITE BC, XS
08-2207-52	BIO LITE BC, SM
08-2207-53	BIO LITE BC, MD
08-2207-55	BIO LITE BC, LG
08-2207-56	BIO LITE BC, XL
08-2207-57	BIO LITE BC, XXL
	WEIGHT PKT
08-0094-06	WEIGHT PKT, BIO LITE FRONT PR
08-0094-07	WEIGHT PKT, BIO LITE TANK PAIR

OCEANPRO

BUILT LIKE A TANK

An economical jacket for the diver who wants to keep it simple, the OceanPro BC features the same quality workmanship, comfort and fit that you expect from Oceanic.

Named ScubaLab's Best Buy in Scuba Diving's July 2015 BC Review.

Withstands the daily rigors of rental & training departments

Durable 1000D denier fadeless nylon construction

OceanPro BC is sold without pockets. Optional QLR4 Integrated Weight System is available separately.

10 lbs trim weight

QLR4 Integrated Weight System (20 lbs) available separately

Two large zippered pockets

Integrated backpack with carrying handle

Lift capacity: XS 18 lb; SM 26 lb; MD 31 lb; LG 38 lb; XL 44 lb



OPEN WATER PACKAGE

Save big when you buy as part of a package. See page 5 for details.



Shown with optional QLR4 weight pockets

QLR4 Patent 6,487,761



BUOYANCY COMPENSATORS

	HEIGHT	WEIGHT (LBS)	CHEST	WAIST
XS	5'0" - 5'5"	100 - 125	26" - 36"	28" - 36"
S	5'2" - 5'7"	120 - 155	30" - 40"	30" - 38"
M	5'7" - 5'10"	150 - 155	34" - 44"	32" - 40"
L	6'0" - 6'2"	180 - 210	38" - 48"	34" - 42"
XL	6'2" - 6'5"	195 - 240	40" - 50"	38" - 46"
XXL	6'2" - 6'5"	240 - 275	50" - 55"	46" - 50"

PART NO.

ITEM

08-8430-51	OCEANPRO BC, XS
08-8430-52	OCEANPRO BC, SM
08-8430-53	OCEANPRO BC, MD
08-8430-55	OCEANPRO BC, LG
08-8430-56	OCEANPRO BC, XL
08-0093-04	QLR4 WT POCKET, PAIR

BC PARTS & ACCESSORIES

PART NO.	ITEM
40-3362	TOOL, AIR XS MULTI
40-9519	TOOL, SCHRADER VALVE
08-9500	TOOL, KIT, BC VALVE RETAINER
08-0090	STRAP, STERNUM, UNIVERSAL LOOP SYSTEM
816253	VALVE, SCHRADER, WHITE AIR XS
08-0093-04	QLR4 WT POCKET, PAIR
08-8010	RETRACTOR, BC CLIP
810011	CAP, VALVE, OVERPRESSURE
8810266	VALVE, SCHRADER, BK
810271	CRADLE, TANK
810286	CABLE, RETAINER, WT POCKET
810490	SCREW, BACKPLATE, 3/4"
810681	BAND, UNIVERSAL TANK, ASSY
816171	NUT, LOCK, BACKPLATE, 1/4
816748	VALVE SCHRADER BLACK ALLIANCE
819002-16	CABLE, ARM, ASSY, 16"
819002-18	CABLE, ARM, ASSY, 18"
819002-20	CABLE, ARM, ASSY, 20"
819011	CAP, HOUSING, UPPER
819014	PIN, CABLE, RAPID EXHAUST
819017	BOOT, BUTTON
819022	MONTHPIECE, INFLATOR
819023	PIN, PUSH
819027	STOP, TUBE, INFLATOR
819029	HOUSING, VALVE, INFLATOR
819030	SPRING, INFLATOR BUTTON
819039	FRAME, VALVE, EXHAUST
819040-1	POPPET ASSY, EXHAUST
819041	SPRING, VALVE, EXHAUST
819045	SEAL, UPPER GASKET
819056	CLIP, HOSE TO HOSE, BK
819060	VALVE, OP ASSY, W/BALL 6"
819060-2	VALVE, OP ASSY, W/BALL 20"
819691-10	CABLE ASSY, RAPID EXH, 10"
819691-8	CABLE ASSY, RAPID EXH, 8"
819719	CAP, HOUSING, UPPER
819729-18	HOUSING ASSY, UP, RELNT 18"
819729-20	HOUSING ASSY, UP, RELNT 20"
819736	STEM, VALVE, QD, INFLTR 2003
83261-01	BUTTON, ORAL, BU, AIR XS
83263	VALVE, EXHAUST, AIR XS
83264	FRAME, EXHST VALVE, AIR XS
83265	COVER, EXHST, AIR XS
83266	SPRING, ORAL BUTTON, AIR XS
83267	HOUSING, VALVE, AIR XS
83271-01	SLIDE, BUTTON, AIR XS, BU
83275	GASKET, EXH VALVE, AIR XS
83284	BALL, PULL, AIR XS
083286-10	CABLE, LOWER, 10"
83286-6	CABLE, LOWER, 6"
83286-8	CABLE, LOWER, 8"
83292	CAP, QD, AIR XS
83295	LEVER, DEMAND
83365	COUPLING, INLET, AIR XS
84408	WRAP, TIE
84499	LOWER OP VALVE SPRING

PART NO.	ITEM
84948	PIN, CABLE, INFLATOR
86174	CLIP, ACCESSORY, GAUGE
86403	WASHER, SPRING
86460	CLIP, HOSE
86554-01	FRONT COVER, AIR XS BLUE
86620	SHAFT, ORIFICE, AIR XS2
86624	HOUSING, AIR XS2
WEIGHT POCKETS	
08-0093-01	WEIGHT PKT PR QLR1, PLASTIC 2"
08-0093-02	WEIGHT PKT PR QLR2, RUBBER 1.5
08-0093-04	QLR4 WT POCKET, PAIR
08-0093-30	WEIGHT PKT PAIR, ISLANDER
08-0094-05	WEIGHT POUCH, TANK BAND, PR
08-0094-06	WEIGHT PKT, BIO LITE FRONT PR
08-0094-07	WEIGHT PKT, BIO LITE TANK PAIR
CUMMERBUNDS	
08-0097-51	CUMMERBUND, BIO LITE, XS
08-0097-52	CUMMERBUND, BIO LITE, SM
08-0097-53	CUMMERBUND, BIO LITE, MD
08-0097-55	CUMMERBUND, BIO LITE, LG
08-0097-56	CUMMERBUND, BIO LITE, XL
08-0097-57	CUMMERBUND, BIO LITE, XXL
CUMMERBUND ASSEMBLY	
08-5200-51	CUMMERBUND ASSY, OCEANPRO, XS
08-5200-52	CUMMERBUND ASSY, OCEANPRO, SM
08-5200-53	CUMMERBUND ASSY, OCEANPRO, MD
08-5200-54	CUMMERBUND ASSY, OCEANPRO, ML
08-5200-55	CUMMERBUND ASSY, OCEANPRO, LG
08-5200-56	CUMMERBUND ASSY, OCEANPRO, XL
LPQD HOSES STD	
810257-24	HOSE, LPQD, STD, 24"
810257-26	HOSE, LPQD, STD, 26"
810257-30	HOSE, LPQD, STD, 30"
810257-32	HOSE, LPQD, STD, 32"
810257-34	HOSE, LPQD, STD, 34"
8149-26	HOSE, LPQD, AIR XS, 26"
8149-30	HOSE, LPQD, AIR XS, 30"
CORRUGATED HOSES	
819637-14	HOSE, CORRUGD, RELIANT 14"
819637-16	HOSE, CORRUGD, RELIANT 16"
819637-18	HOSE, CORRUGD, RELIANT 18"
819637-20	HOSE, CORRUGD, RELIANT 20"
84946-10	HOSE, CORRUGD, ALLIANCE 10"
84946-14	HOSE, CORRUGD, ALLIANCE 14"
84946-16	HOSE, CORRUGD, ALLIANCE 16"
84946-18	HOSE, CORRUGD, ALLIANCE 18"
84946-20	HOSE, CORRUGD, ALLIANCE 20"
84946-3	HOSE, CORRUG, AIR2, SOURCE
84946-6	HOSE, CORRUGATED, 6"
84946-8	HOSE, CORRUGATED, 8"
INFLATORS	
08-7034-14	INFLATOR, RELIANT 14"
08-7034-16	INFLATOR, RELIANT 16"
08-7034-18	INFLATOR, RELIANT 18"
08-7034-20	INFLATOR, RELIANT 20"
08-7192-58	BLADDER, EXCURSION, 60#

MASKS



CYANEA



OCEANVU



SHADOW



MINI SHADOW



ION



ENZO

CYANEA

TRULY WORTHY OF ENVY

Technology and innovation are behind this minimalist frame and oversized lens, providing style, comfort and peripheral vision truly worthy of envy.

Ultra clear liquid silicone

Superior ultra-clear optical glass

Wide field of vision

Trouble free buckles

Double feathered edge super-soft liquid silicone skirt with stability ridges

UV & chlorine resistant elastic ski-goggle style strap provides secure fit and comfort

Micro frame construction

Integrated snorkel keeper keeps your snorkel in the ideal position for use



Black/Yellow



Clear/Oceanic Blue



Clear/Titanium



Clear/Pink



Black/Titanium



Clear/Sea Blue

PART NO.	ITEM
	CYANEA
05-3410-01	CYANEA MASK, CLEAR/BLUE
05-3407-18	CYANEA MASK, BLACK/YELLOW
05-3407-29	CYANEA MASK, BLACK/TITANIUM
05-3410-29	CYANEA MASK, CLEAR/TITANIUM
05-3410-39	CYANEA MASK, CLEAR/SEA BLUE
05-3410-78	CYANEA MASK, CLEAR/PINK
	STRAP REPLACEMENT
05-3402-07-04	STRAP, REPLCMNT, CYANEA, BK/RD
05-3402-07-05	STRAP, REPLCMNT, CYANEA, BK/GY
05-3402-07-18	STRAP, REPLCMNT, CYANEA, BK/NY
05-3402-24-01	STRAP, REPLCMNT, CYANEA, WT/BL
05-3402-24-05	STRAP, REPLCMNT, CYANEA, WT/GY
05-3402-24-39	STRAP, REPLCMNT, CYANEA, WT/GR
05-3402-24-78	STRAP, REPLCMNT, CYANEA, WT/PK

OCEANVU
SURE FIT

The OceanVu, the latest dive mask from Oceanic. Superior materials, technology & design give you the best visibility, fit & comfort possible in a dive mask. Wear the OceanVu mask during your dives and see more ocean than ever before.

Ultra-clear, medical-grade, liquid silicone

UltraClear optical quality tempered glass lenses optimize clarity, light transmission, and color consistency for the best possible visibility, especially in low light conditions.

SureFit™ Buckle Tensioning System

Quick adjusting sliding buckles allow simple, fine adjustments and release of the strap.

Textured and easy to squeeze nose pocket allows one handed equalization.

Rubberized frame inserts improve grip to aid clearing.

Ultra light weight and low internal volume for dramatically improved field of vision – up, down and side-to-side.



Clear/Titanium Clear/Yellow Clear/Sea Blue



Black/Titanium Black/Yellow Clear/Pink

SHADOW

KEEPS YOU FOCUSED

Sleek 100% liquid silicone skirt attached directly to the tempered glass lens. No-frame mask means the Shadow Series offers an incredible field of vision and packs flat. Available in two colors and two sizes for a perfect fit.

No-frame design reduces weight

Extremely low volume design

Swiveling, easy adjusting buckles

Folds and fits easily in your BC pocket

PART NO-	ITEM
	OCEANVU MASK
05-3610-01	OCEANVU MASK, CLEAR/BLUE
05-3610-18	OCEANVU MASK, CLEAR/YELLOW
05-3610-29	OCEANVU MASK, CLEAR/TITANIUM
05-3610-78	OCEANVU MASK, CLEAR/PINK
05-3610-89	OCEANVU MASK, CLEAR/SEA BLUE
05-3607-01	OCEAN VU MASK, BLACK/BLUE
05-3607-18	OCEAN VU MASK, BLACK/YELLOW



Black/Oceanic Blue

Clear/Oceanic Blue

SUREFIT™ BUCKLE TENSIONING SYSTEM

SureFit™ Buckle Tensioning System evenly distributes the tension exerted by the strap over a firmer silicone band for support, maximizing seal and comfort.



A HANG TAG ON EVERY MASK

Out of the box, each mask comes with a multi-lingual hangtag covering the OceanVu's amazing features.



Ice

Black/Black

PART NO-	ITEM
05-3607-29	OCEAN VU MASK, BLACK/TITANIUM
05-3404-07	STRAP, REPLACEMENT OCEANVU, BLACK
05-3404-10	STRAP, REPLACEMENT OCEANVU, CLEAR
	SHADOW MASK
05-4000-09	SHADOW MASK, ICE, NEO STRAP
05-4000-27	SHADOW MASK, BK, NEO STRAP
05-2900-09	MINI SHADOW MASK, ICE, NEO STR
05-2900-27	MINI SHADOW MASK, BK, NEO STR

ION

A low-profile mask for all lovers of the sport who want to see the underwater world more clearly. Comes standard with our Neoprene Comfort Strap. Low-volume design for wide field-of-view and easy clearing.

Sturdy lightweight frame

Low volume design for wide field-of-view and easy clearing

100% liquid silicone for comfort and long-life

Tempered glass lens for safety

Easy adjusting buckles for convenience

Neoprene Comfort Strap



Sea Blue/White



Oceanic Blue/White

Black/Black

ENZO

The Enzo features a very low volume and lightweight frame, with an extra wide field of vision.

Ultra low volume mask ideal for freediving and spearfishing

Ultra-clear glass

Low profile / Easy-adjust buckles



Blue/Clear



Yellow/Clear



Pink/Clear



Black/Black

White/White

PART NO.	ITEM
ION MASK	
05-5106-01	ION MASK, OC BU/CL, NEO STRAP
05-5106-27	ION MASK, BK/TI/BK, NEO STRAP
05-5106-89	ION MASK, SEA BLUE/WHITE/CLEAR , NEO STRAP
ENZO	
05-1000-01	ENZO MASK, OC BU/CL
05-1000-18	ENZO MASK, NY/CL

PART NO.	ITEM
05-1000-24	ENZO MASK, WH/WH
05-1000-27	ENZO MASK, BK/BK
05-1000-78	ENZO MASK, PK/CL
05-9107	STRAP, ENZO MASK, BK
05-9110	STRAP, ENZO MASK, CL
05-9124	STRAP, ENZO MASK, WHT

MASK ACCESSORIES

PART NO.	ITEM
05-4201-10	STRAP, MAKO MASK, SIL, CL
05-BOX	BOX, MASK, STANDARD
05-9008-07	COMFORT MASK STRAP, BK
05-9010-07	STRAP, MASK, SIL/NEOPRENE BK
05-9010-10	STRAP, MASK, SIL/NEOPRENE CL
05-9040	STRAP, MASK, BLACK SILICONE

SNORKELS

NEW



ULTRA DRY 2

NEW



ULTRA SD



ARID



POCKET SNORKEL



ENZO

SNORKELS

ULTRA DRY 2

The classic Ultra family of snorkels has evolved. Introducing the Ultra Dry 2. This sleek new ergonomic design incorporates Oceanic's patented Dry Snorkel Technology, drop away flex mouthpiece, oversized purge valve for easy clearing, and replaceable 100% liquid silicone mouthpiece into a comfortable and functional snorkel ready for any adventure.

Patented Dry Snorkel Technology virtually eliminates water entry

Oversized purge valve for easy clearing

Quick-release swiveling snorkel keeper

Drop away smooth bore flex mouthpiece

Replaceable 100% liquid silicone mouthpiece



Black/
Titanium

Black/Yellow

White/Pink

White/Sea
Blue

Clear/
Titanium

Clear/Yellow

ULTRA SD

The new Ultra SD (Semi-Dry) employs a patent pending deflector to stay dry in waves and wind. The design also incorporates a drop-away flex mouthpiece, oversized purge valve for easy clearing and a replaceable 100% liquid silicone mouthpiece.

Patented dry top deflector prevents water entry

Drop away flex mouthpiece

Oversized purge valve for easy clearing

Replaceable 100% liquid silicone mouthpiece



Black/
Titanium

Black/Yellow

White/Pink

White/Sea
Blue

Clear/
Titanium

Clear/Yellow

PART NO.	ITEM
07-1207-01	ULTRA DRY 2 SNORKEL, BLACK/BLUE
07-1207-18	ULTRA DRY 2 SNORKEL, BLACK/YELLOW
07-1207-29	ULTRA DRY 2 SNORKEL, BLACK/TITANIUM
07-1210-01	ULTRA DRY 2 SNORKEL, CLEAR/BLUE
07-1210-18	ULTRA DRY 2 SNORKEL, CLEAR/YELLOW
07-1210-29	ULTRA DRY 2 SNORKEL, CLEAR/TITANIUM
07-1224-78	ULTRA DRY 2 SNORKEL, WHITE/PINK
07-1224-89	ULTRA DRY 2 SNORKEL, WHITE/SEA BLUE

NEW

Black/Oceanic Blue

Clear/Oceanic Blue



NEW

Black/Oceanic Blue

Clear/Oceanic Blue



PART NO.	ITEM
07-1107-01	ULTRA SD SNORKEL, BLACK/BLUE
07-1107-18	ULTRA SD SNORKEL, BLACK/YELLOW
07-1107-29	ULTRA SD SNORKEL, BLACK/TITANIUM
07-1110-01	ULTRA SD SNORKEL, CLEAR/BLUE
07-1110-18	ULTRA SD SNORKEL, CLEAR/YELLOW
07-1110-29	ULTRA SD SNORKEL, CLEAR/TITANIUM
07-1124-78	ULTRA SD SNORKEL, WHITE/PINK
07-1124-89	ULTRA SD SNORKEL, WHITE/SEA BLUE

ARID

A patent pending deflector helps to keep the Arid as dry as a desert, even in waves and wind. Patent pending dry top deflector prevents water entry, drop-away flex mouthpiece, oversized purge valve for easy clearing, replaceable 100% liquid silicone mouthpiece

- Patented dry top deflector prevents water entry
- Drop away flex mouthpiece
- Oversized purge valve for easy clearing
- Replaceable 100% liquid silicone mouthpiece



POCKET SNORKEL


For divers that dislike wearing a snorkel, but know that they should always be prepared, Oceanic provides an innovative solution. The Pocket Snorkel folds neatly and out of the way in your BC pocket when not in use.

- Patented dry top deflector prevents water entry
- Drop away flex mouthpiece
- Oversized purge valve for easy clearing
- Patented Snorkel Lock allows easy removal and attachment
- Replaceable 100% liquid silicone mouthpiece
- Dimensions when folded are 7" x 4" x 2.5"

ENZO FREE DIVE

The Enzo features an internal diameter designed for optimum flow rate and perfect for free diving and spearfishing.

- Designed for spearfishing and free diving
- Internal diameter designed for optimum flow rate
- Low drag and snag free



PART NO.	ITEM
07-1800-27	POCKET SNORKEL, BK/BK
07-1000-27	ENZO SNORKEL, BK

PART NO.	ITEM
07-2209-01	ARID SNORKEL, OC BLUE/WHT
07-2207-18	ARID SNORKEL, NY/BLK
07-2209-89	ARID SNORKEL, SEA BLUE/CLR
07-2209-78	ARID SNORKEL, PINK/WHT

FINS



MANTA RAY



ACCEL



VIPER OPEN HEEL



VIPER FULL FOOT



ENZO FREE DIVE

MANTA RAY

INSPIRED BY NATURE



TECHNO-POLYMER BLADE Advanced material provides the strength of bone to maximize power, speed & efficiency, while being extremely lightweight & durable.



POWER-X SYSTEM Revolutionary material acts as tendon & joint, optimizing propulsion by flexing during the downstroke and releasing stored energy prior to the upstroke.



POWER CHANNEL The flexible material simulates the elasticity of skin by directing water flow off the back of the blade for increased thrust.



SOFT-PAD HEEL STRAP An comfortable and ergonomic finger-loop which allows the fin to be easily removed & replaced, even with thick neoprene gloves



EASY BUCKLE ADJUSTMENT (EBA) Our unique EBA buckle adjustment system allows for more than 2" (5 cm) of precise adjustments for a custom fit without tools.



WINGLETS along the length of the blade increase efficiency and improve maneuverability.



Black/White



Black/Titanium



Black/Oceanic Blue



Black/Yellow



White/Sea Blue



White/Pink

PART NO.	ITEM
14-4589-51	MANTA RAY, SEA BLUE/WHITE, XS 5-7
14-4589-52	MANTA RAY, SEA BLUE/WHITE, SM 7-10
14-4578-51	MANTA RAY, PINK/WHITE, XS 5-7
14-4578-52	MANTA RAY, PINK/WHITE, SM 7-10
14-4529-51	MANTA RAY FIN, TITANIUM/BLACK, XS 5-7
14-4529-52	MANTA RAY FIN, TITANIUM/BLACK, SM 7-10
14-4529-54	MANTA RAY FIN, TITANIUM/BLACK, REG 10-12
14-4529-56	MANTA RAY FIN, TITANIUM/BLACK, XL 12+
14-4501-51	MANTA RAY, OCEANIC BLUE/BLACK, XS 5-7
14-4501-52	MANTA RAY, OCEANIC BLUE/BLACK, SM 7-10
14-4501-54	MANTA RAY, OCEANIC BLUE/BLACK, REG 10-12
14-4501-56	MANTA RAY, OCEANIC BLUE/BLACK, XL 12+
14-4518-51	MANTA RAY FIN, YELLOW/BLACK, XS 5-7
14-4518-52	MANTA RAY FIN, YELLOW/BLACK, SM 7-10
14-4518-54	MANTA RAY FIN, YELLOW/BLACK, REG 10-12
14-4518-56	MANTA RAY FIN, YELLOW/BLACK, XL 12+
14-4524-51	MANTA RAY FIN, WHITE/BLACK, XS 5-7
14-4524-52	MANTA RAY FIN, WHITE/BLACK, SM 7-10
14-4524-54	MANTA RAY FIN, WHITE/BLACK, REG 10-12
14-4524-56	MANTA RAY FIN, WHITE/BLACK, XL 12+

ACCEL

ONE FIN, ANY OCEAN



If you favor power over frills, you'll love the Accel. Compact and responsive, its clean lines and efficient shape make it an excellent all-around fin.

Unique, high-stretch heel straps are effortless to slip on and off and dramatically reduce the bulk and drag associated with typical open heel fins. The angled, compact blade has excellent water flow characteristics and also allows divers to swim efficiently with multiple kicking styles, from scissor to frog to sculling. The blade's center channel, along with pronounced side rails, also helps minimize "side spill," directing water behind the diver for maximum thrust.

Unique heel strap design is effortless to slip on and off

Minimize inventory & customize your Accel fins

Design offers excellent water flow characteristics

Center channel and side rails help minimize "side spill"

Less than 3 lbs per pair

Maximum length only 21 inches (size XL-XXL)

Accel fin comes in Black with Titanium Color Kit

Titanium
(Stock Color)



Accel fin with
Blue Color Kit

ACCEL COLOR KITS

Customize your Accel fins with Color Kits from Oceanic. Available in 8 colors, each easy-to-install color kit to match your gear, your mood or your dive.



Red



Black



Neon Yellow



White



Sea Blue



Pink

PART NO.

ITEM

ACCEL FIN, OPEN HEEL

14-4027-52	ACCEL FIN OH, BK, XS 5-7
14-4027-53	ACCEL FIN OH, BK SM/MD 7-10
14-4027-55	ACCEL FIN OH, BK, REG 10-12
14-4027-56	ACCEL FIN OH, BK, XL/XXL 12+

ACCEL FIN COLOR KITS

05-4091-01	ACCEL COLOR KIT, BU
05-4091-04	ACCEL COLOR KIT, RD
05-4091-18	ACCEL COLOR KIT, NY
05-4091-39	ACCEL COLOR KIT, GR
05-4091-78	ACCEL COLOR KIT, PK
05-4091-24	ACCEL COLOR KIT, WT

Easy adjust quick-release buckles



Black/Neon Yellow



White/Pink

Generous foot pocket



Black/Neon Yellow



White/Pink

PART NO.	ITEM
14-6458-53	VIPER FF, WHT/SEA BLUE MD 7.5-8.5
14-6407-50	VIPER FF, BLACK/BLACK, XXS 3-4
14-6407-51	VIPER FF, BLACK/BLACK, XS 4.5-5.5
14-6407-52	VIPER FF, BLACK/BLACK, SM 6-7
14-6407-53	VIPER FF, BLACK/BLACK,MD 7.5-8.5
14-6407-54	VIPER FF, BLACK/BLACK, ML 9-10
14-6407-55	VIPER FF, BLACK/BLACK,LG 10.5-11.5
14-6407-56	VIPER FF, BLACK/BLACK, XL 12-13
14-6439-50	VIPER FF, BLACK/TITANIUM, XXS 3-4
14-6439-51	VIPER FF, BLACK/TITANIUM, XS 4.5-5.5
14-6417-50	VIPER FF, OCEANIC BU, XXS 3-4
14-6417-51	VIPER FF, OCEANIC BU, XS 4.5-5.5
14-6417-52	VIPER FF, OCEANIC BU, SM 6-7
14-6417-53	VIPER FF, OCEANIC BU, MD 7.5-8.5
14-6417-54	VIPER FF, OCEANIC BU, ML 9-10
14-6417-55	VIPER FF, OCEANIC BU, LG 10.5-11.5
14-6417-56	VIPER FF, OCEANIC BU, XL 12-13

ENZO FREE DIVE

THE IDEAL FREEDIVING FIN

The Enzo Freedive Fin is a purpose-designed spear fishing and freediving fin with special composite construction technology.

Blade made of polypropylene composite material alloy

Foot pocket made of thermoplastic rubber, soft for comfort and hard for energy transfer to the blade

Many channels create significant water flow & increased thrust

Lightweight and powerful—one medium fin weighs only 27 oz

35.5" long x 8.6" wide



PART NO.	ITEM
14-2207-50	ENZO FREE DIVE FIN, 2XS, BLACK, SIZE 2-3, EUR 35-36
14-2207-51	ENZO FREE DIVE FIN, XS, BLACK, SIZE 4-5, EUR 37-38
14-2207-52	ENZO FREE DIVE FIN, SM, BLACK, SIZE 6-7, EUR 39-40
14-2207-53	ENZO FREE DIVE FIN, MD, BLACK, SIZE 8-9, EUR 41-42
14-2207-55	ENZO FREE DIVE FIN, LG, BLACK, SIZE 9-10, EUR 43-44
14-2207-56	ENZO FREE DIVE FIN, XL, BLACK, SIZE 11-12, EUR 45-46
17-4776-07	ENZO MASK/FIN/SNORKEL BAG

FIN PARTS & ACCESSORIES

PART NO.	ITEM
2004-A	STRAP, V12 FIN, WITH BUCKLES
2004-1	STRAP, V12 FIN
2018-A	STRAP, VORTEX FINS, WITH BUCKL
2018-1	STRAP, VORTEX FINS
2020	STRAP, VIPER, 10 PACK
2020-A	STRAP, VIPER W/BUCKLES SM-XL
14-2600	STRAP, V-FLEX REPLACEMENT ASSY
2025-07	MANTARAY, SOFTPAD, BK
2025-24	MANTARAY, SOFTPAD, WH
2026-29	MANTARAY, 2 BUCKLES W/4 PINS, TI
2026-01	MANTARAY, 2 BUCKLES W/4 PINS, BU
2026-18	MANTARAY, 2 BUCKLES W/4 PINS, YL
2026-24	MANTARAY, 2 BUCKLES W/4 PINS, WH
2026-78	MANTARAY, 2 BUCKLES W/4 PINS, PK
2026-89	MANTARAY, 2 BUCKLES W/4 PINS, SB
2028-52	MANTARAY, SPRING, XS-SM
2028-54	MANTARAY, SPRING, REG
2028-56	MANTARAY, SPRING, XL
2022-18	SPRING STRAP PR, XS
2022-20	SPRING STRAP PR, SM
2022-22	SPRING STRAP PR, REG
2022-24	SPRING STRAP PR, XL

BAGS



MESH DUFFEL



REGULATOR BAG



ENZO MSF BAG



MESH BACKPACK



DRY BAG

MESH DUFFEL

Use this durable PVC mesh bag for easy transport to the dive site or boat and storage between dive days. Ready to rinse your gear after a day of use? Simply drop the entire bag in the rinse tank and hang up to dry.

Heavy duty #10 YKK U-shaped zipper for increased opening space

PVC-coated Nylon mesh

600D polyester with PVC backing for side panels

Adjustable comfort shoulder straps

Dimensions: 30" x 14" x 12"




REGULATOR BAG

#10 YKK self-healing zippers

Interior Velcro® loops

1620 Denier Ballistic Nylon construction

Dimensions: W 12 in. (30.5 cm), H 4.35 in. (11 cm), L 12 in. (30.5 cm)



ENZO MASK/SNORKEL/FIN BAG

A great bag designed to carry those long blade fins and more. The newest addition to the Oceanic Bag Collection.

Large enough to accommodate the Enzo Free Dive Fins

Pocket divider for mask/snorkel

Top handle and shoulder strap

Drain hole



PART NO.	ITEM
17-4774-07	MESH DUFFEL BAG
17-4773-07	REGULATOR BAG
17-4776-07	ENZO MASK/FIN/SNORKEL BAG

DRY BAG

These dry bags are ideal for all types of outdoor adventures, from camping to white water rafting, boat trips to biking. The classic stuff sack design built to stay dry.


PVC-tarpaulin
9"W x 21.25"H
Three roll closure system
Waterproof materials
Internal cell phone pocket on clear bag only
High-frequency welded and heat seal taped technique to make the bag watertight



MESH BACKPACK

Our Mesh Backpack is perfect for snorkeling or a day at the beach. Another great bag in the Oceanic collection to transport all your gear wherever your destination.

Mesh construction is lightweight, and allows easy gear rinsing and drying
Backpack features padded shoulder straps and drawstring closure
Internal semi-dry pocket for keys, wallet and c-card
Black Tarpaulin fabric
Gray 210D nylon exterior pocket with PU coating
Heavy duty #10 YKK zipper along the side of the bag for easy access to gear
Padded handle for easy grasping and carrying
Comfortably padded shoulder straps, contoured, with adjustable sternum strap
Dimensions: 18" x 29.5"



PART NO.	ITEM
17-4771-18	DRY BAG-PVC-TARPAULIN - 9"WX21.25"H - YELLOW
17-4771-10	DRY BAG-PVC-TARPAULIN - 9"WX21.25"H - CLEAR
17-4775-07	MESH BACKPACK