



2019 BUYER'S GUIDE



OCEANIC WORLDWIDE - TECNOMAR





OCEANIC FOR LIFE

Our commitment does not end when you buy an Oceanic product. Long after the initial sale, we provide prompt and professional after-sales service to keep your gear working well and looking good, for a very long time.



OUR PRODUCT WARRANTIES

Regulators	Materials & Construction	Limited lifetime* & Oceanic for Life* (Free Parts) * Proof that regulator was serviced, according to service interval, to qualify.
Buoyancy Compensators	Materials & Construction Requires Annual Service	Five-year from date of purchase
Digital Instruments	Materials & Construction Requires Annual Service	Two-year from date of purchase
Analog Instruments	Materials & Construction Requires Annual Service	Two-year from date of purchase
Non-Warranty Instrument Repairs	Materials & Construction	One-year from service
Masks, Snorkels, Fins	Materials & Construction	One-year from date of purchase
Wetsuits	Materials & Construction	One-year from date of purchase
Bags	Materials & Construction	Two-Year Limited Warranty
Neoprene Accessories	Materials & Construction	One-year from date of purchase

CONTENTS

PACKAGES & PROMOS	4	MASKS	26
PROFESSIONAL PACKAGE	4	CYANEA	26
OPEN WATER PACKAGE.	4	OCEANVU.	27
MASK, FIN, SNORKEL PACKAGE	4	SHADOW	27
		MINI SHADOW	27
		ION	28
		ENZO	28
		MASK ACCESSORIES	28
REGULATORS	5		
FIRST STAGE COMPARISON CHART	5		
SECOND STAGE COMPARISON CHART	5		
ZEO.	6		
DELTA 5.	7		
ALPHA 10.	8		
		SNORKELS	29
		ULTRA DRY	29
		ULTRA DRY 2	29
		ULTRA SD.	29
		ARID	30
		POCKET SNORKEL	30
		ENZO FREE DIVE	30
DIVE COMPUTERS	9		
DIVERLOG.	9		
DIVECLOUD	10		
DIVE COMPUTER COMPARISON CHART	11		
PROPLUS X	12		
OCi	13		
GEO 4.0.	14		
VEO 4.0.	15		
B.U.D..	16		
F.10	17		
		FINS	31
		MANTA RAY.	31
		ACCEL	32
		VIPER OPEN HEEL	33
		VIPER FULL FOOT	33
ANALOG INSTRUMENTS	18		
SWIV MAX DEPTH GAUGE	18		
SWIV SPG.	18		
SWIV COMPASS.	18		
OIL-FILLED DEPTH GAUGE	19		
SLIMLINE SPG	19		
SIDESCAN COMPASS	19		
PONY BOTTLE GAUGE	19		
		BAGS	34
		MESH DUFFEL	34
		REGULATOR BAG	34
		ENZO MASK/SNORKEL/FIN BAG	34
		DRY BAG	35
		MESH BACKPACK.	35
BUOYANCY COMPENSATORS	20		
BC COMPARISON CHART	20		
EXCURSION	21		
HERA	22		
ATMOS	23		
BIOLITE.	24		
OCEANPRO	25		

PROFESSIONAL PACKAGE

This package is designed for the Professional adventurer diver. It includes the pneumatically-balanced ZEO + FDXi regulator, the easy to read Pro Plus 3 Dive Computer with compass and your choice of BCD. Select from either the Excursion BCD (built for the serious adventurer), or the HERA (high-end female specific BCD).

- Excursion, HERA (08-7135-5X, or 08-6212-5X)
- PP3-0 w/Compass (04-1071-07)
- ZEO + FDXi (40-8150-XX or 40-8140-XX)
- Alpha 10 Octo (40-3744-18)

PROMO CODE: PROFESSIONALPROMO



OPEN WATER PACKAGE

With the Open Water Package, you're ready to dive wherever your travels take you. Our new Alpha 10 + cDX regulator has been combined with the VEO 2.0 so you won't have to sacrifice performance for price. The package includes the OceanPro BC (SCUBALAB Best Buy 2015) and QLR4 weight pockets. This light and rugged BC combines comfort and durability at an affordable price, perfect for the diver who wants to keep it simple yet functional.

- OceanPro BCD (08-8430-5X)
- VEO 2.0 Combo (04-3710-67)
- Alpha 10 + cDX (40-377X-07 YOKE or DIN)
- Alpha 10 Octo (40-3744-18)
- Weight Pockets QLR 4 (08-0093-04)

PROMO CODE: OPENWATERPROMO



MASK, FIN, SNORKEL PROGRAM

Assorted Masks, Fins & Snorkels and the price drops for all three product categories.

PROMO CODE: MSFPROMO



CHOOSE A...

FIN	Manta Ray	Enzo	Accel	Viper Open Heel	Viper Full Foot
MASK	Cyanea	Enzo	Oceanvu	Shadow or Shadow Mini	Ion
SNORKEL	Ultradry or Ultradry 2	Enzo	Ultra Semidry	Arid	Pocket

FIRST STAGE COMPARISON CHART

	FDX-i	eDX	cDX	sPX
Valve Type	Over-Balanced Diaphragm	Over-Balanced Diaphragm	Over-Balanced Diaphragm	Downstream Piston
Material	Forged Triple Chrome Plated Marine Brass, Stainless Valve Orifice	Machined Triple Chrome Plated Marine Brass, Stainless Valve Orifice	Machined Triple Chrome Plated Marine Brass, Stainless Valve Orifice	Machine Triple Chrome Plated Marine Brass
Low Pressure Ports	4	4	4	4
High Pressure Ports	2	2	2	2
Nitrox Compatibility	Standard to 40%	Standard to 40%	Standard to 40%	Standard to 40%
Environmental Protection Kit	Dry Chamber	Dry Chamber	Dry Chamber	
Weight	21 ounces	28 ounces	29 ounces	26 ounces
Factory Set Intermediate Pressure Range	138-142 psi	138-142 psi	138-142 psi	140-145 psi
Pressure Drop	9 psi	9 psi	20 psi	13 psi
Warranty	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME
Lifetime Free Replacement Parts Program	✓	✓	✓	✓

SECOND STAGE COMPARISON CHART

	ZEO	DELTA 5	ALPHA 10	SLIMLINE 3	AIR XS 2
Valve Type	Pneumatically Balanced	Pneumatically Balanced	Pneumatically Balanced	Downstream Demand	Downstream Demand
Diver Adjustable Inhalation Adjustment	✓	✓			
Dive/Pre-Dive Venturi Switch	✓	✓	✓		
Chrome Plated Brass Valve Housing	✓	✓			
Nitrox Compatibility	Standard to 40%	Standard to 40%	Standard to 40%	Standard to 40%	Standard to 40%
High Flow MiFlex® Braided Hose	✓	✓	✓	✓	✓
Integrated Swivel	✓	optional	optional		
Weight (without hose)	7.2 oz	6.8 oz	6.0 oz	5.1 oz	7.9 oz
Minimum Cracking Effort	Diver Adjustable	Diver Adjustable	1.1 CIW	1.5 CIW	1.5 CIW
Factory Set Inhalation Effort	0.0 – 2.5 CIW	0.0 – 2.5 CIW	1.2 – 1.4 CIW	1.5 – 2.0 CIW	1.6 – 2.2 CIW
Work of Breathing	0.86 Joules	0.98 Joules	1.23 Joules	2.76 Joules	2.86 Joules
First Stage	FDX-i	eDX	cDX / sPX	NA	NA
Warranty	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME	LIMITED LIFETIME
Lifetime Free Replacement Parts Program	✓	✓	✓	✓	✓

ZEO

DESIGNED FOR DEPTH



The pneumatically-balanced ZEO is an engineering marvel of precision, durability and comfort. Its durable chrome-plated marine brass metal valve delivers a phenomenal breathing experience, improves cold-water performance and helps recirculate moisture from exhalation to prevent dry mouth. The breathing adjustment gives the diver a wide range of control to precisely set airflow throughout the dive.

The ZEO comes standard with an in-line hose swivel, inhalation effort control, dynamic adjustment technology dive/pre-dive switch and a super comfortable orthodontic mouth piece featuring an inline ball swivel on the hose connection to eliminate the binding that can cause jaw fatigue.

The new cold-forged, over-balanced diaphragm FDX-i first stage is environmentally sealed. The in-line design limits the pressure loss inherent in "L" type first stage designs making the FDX-i more efficient and lighter due to its compact form.

Valve Type	Demand
Adjustment(s)	A.V.S. (pre-dive) & Flow Adjust
Balancing System	Pneumatic
Mouthpiece	Orthodontic with Tabs
Nitrox Compatibility	Standard to 40%
Weight (without hose)	7.2 ounces
Dimensions (Front Profile)	5.8cm x 7.6cm (oval shape)
Work of Breathing	0.86 Joules
Warranty	LIMITED LIFETIME
Service Agreement	FREE PARTS FOR LIFE

FDX-i (FIRST STAGE)

Valve Type	Balanced Diaphragm
Primary Material	Forged Marine Brass
Pressure Ports	LP (4), HP (2)
Nitrox Compatibility	Standard to 40%
Sealed Valve Design	✓
Environmental Protection	✓
Warranty	LIMITED LIFETIME
Service Agreement	FREE PARTS FOR LIFE



Miflex®
Braided
Hose

PROFESSIONAL PACKAGE

Save big when you buy as part of a package. See page 4 for details.



PART NO.	ITEM
40-8150-07	ZEO + FDXI, YOKE, SWIV, BK
40-8150-24	ZEO + FDXI, YOKE, SWIV, WH
40-8140-07	ZEO + FDXI, DIN, SWIV, BK
40-8140-24	ZEO + FDXI, DIN, SWIV, WH
40-9602	TOOL, COVER, ZEO



DELTA 5

READY FOR ANYTHING

The new Delta 5 is the next step in a long line of remarkably reliable, durable and smoothly breathing regulators to carry that name. Sure, we've given it an updated look, but that's not all. Like the Delta's before it, the 5 comes standard with our patented Dynamic Adjustment Technology, dive/pre-dive controls and a super comfortable orthodontic mouthpiece. Unlike it's predecessors, the new Delta 5 has an all metal pneumatic valve, providing super smooth breathing performance in any condition. We have also added a heat exchanger, positioned on the hose connection to the 2nd stage, to further increase it's already stellar cold water performance.

We've paired the Delta 5 with the new eDX. This top-of-the-line, over-balanced diaphragm first stage is environmentally sealed and comes with 4 low-pressure and 2 high-pressure ports. It also comes equipped with a heat exchanger for added cold water performance.

DELTA 5 (SECOND STAGE) Available in Black & White	
Adjustments	Dive/pre-dive switch & Patented Dynamic airflow Adjustment control
Valve Type	Pneumatically balanced all-metal valve
Heat Exchanger	✓ (For enhanced cold-water performance)
Mouthpiece Type	Orthodontic w/ Bite Tabs
Nitrox Compatibility	✓ (Standard to 40%)
Swivel Adapter	✓ (Optional)
Dimensions (Front Profile)	6.3cm diameter (circular)
Work of Breathing	0.98 Joules
Warranty	✓ (Lifetime & Free Parts for Life)
Service Interval	2 Year, Required

eDX (FIRST STAGE) Available in Yoke & DIN	
Valve Type	Balanced Diaphragm
Pressure Ports	LP (4), HP (2)
Nitrox Compatibility	✓ (Standard to 40%)
Environmental Protection	✓ (Sealed Valve Design)
Warranty	✓ (Lifetime & Free Parts for Life)
Service Interval	2 Year, Required



Universal Swivel Adapter



eDX



Miflex® Braided Hose

PART NO.	ITEM
40-7590-07	DELTA 5 + EDX, YOKE, BK
40-7591-07	DELTA 5 + EDX, DIN, BK
40-7590-24	DELTA 5 + EDX, YOKE, WH
40-7591-24	DELTA 5 + EDX, DIN, WH
40-7595-07	DELTA 5, 2ND STAGE, ONLY, BK
40-7595-24	DELTA 5, 2ND STAGE, ONLY, WH
40-7590	EDX 1ST STAGE, YOKE
40-7591	EDX 1ST STAGE, DIN
40-4038	SWIVEL, REG UNIVERSAL

ALPHA 10

DEPENDABLE PERFORMANCE

Simple, dependable and economical. What else would you expect from a design as refined and perfected as the Alpha? Effortless breathing in a compact design that is extremely tough yet easy to maintain and service.

ALPHA 10 (SECOND STAGE) Available in Black & Neon

Valve Type	Pneumatically balanced demand
Mouthpiece Type	Orthodontic w/ Bite Tabs
Nitrox Compatibility	Standard to 40%
Swivel Adapter	Optional
Dimensions (Front Profile)	6.785cm diameter (circular)
Warranty	✓ (Lifetime & Free Parts for Life)
Service Interval	2 Year, Required

cDX & sPX (1ST STAGE)	Available in DIN & Yoke
Valve Type	cDX Balanced diaphragm sPX Piston
Primary Material	Machined, triple chrome marine brass
Angled Ports	For ideal hose routing
Pressure Ports	LP (4), HP (2)
Work of Breathing	1.23 Joules
Nitrox Compatibility	Standard to 40%
Environmental Protection	cDX Yes sPX No
Warranty	✓ (Lifetime & Free Parts for Life)
Service Interval	2 Year, Required



Miflex® Braided Hose



Universal Swivel Adapter



OPEN WATER PACKAGE

Save big when you buy as part of a package. See page 5 for details.



PART NO.	ITEM
40-3780-07	ALPHA 10 + SPX, YOKE
40-3781-07	ALPHA 10 + SPX, DIN
40-3770-07	ALPHA 10 + CDX, YOKE
40-3771-07	ALPHA 10 + CDX, DIN
40-3744-18	ALPHA 10 OCTOPUS
40-3795-07	ALPHA 10, 2ND STAGE, ONLY, BK
40-3770	CDX 1ST STAGE, YOKE
40-3771	CDX 1ST STAGE, DIN
40-3780	SPX 1ST STAGE, YOKE
40-3781	SPX 1ST STAGE, DIN
40-4038	SWIVEL, REG UNIVERSAL

DIVERLOG+

DO SOMETHING WITH YOUR DATA

NEW

Diverlog+ now offers the ultimate in customization and connectivity for your Oceanic computer. Using your mobile device you can quickly adjust your dive computer settings or download your dives and share your underwater experiences with friends. Diverlog+ is available for iOS and Android and compatible with any Bluetooth enabled Oceanic computer including the PPX, Proplus 4.0, Geo 4.0 and Veo 4.0.

DOWNLOAD
FREE

WHAT YOU GET FOR FREE

- Record all of your dive data, locations, tank types and sizes, elapsed dive times, no deco times, and even your dive computer settings
- Record, log, view and share your dives on your mobile device
- Store, share and sync your dives with our online DiveCloud
- Keep track of your data and search your log using the powerful DiverLog+ query feature
- Simulate your dives in real time
- Add and register multiple dive computers
- View, edit and manage dive buddies and contacts
- View, edit and manage dive gear
- View dive data in graph or tabular format
- Share your dive experience with your friends using the social sharing feature
- Export your dives in DL7 standard format



ediverlog.com

DiverLog+ is currently available for Mac OSX 10.7, IOS 6.0, & Android 4.3 or higher. Visit eDiverLog.com for more information.

DIVERLOG FOR DESKTOP USERS AND PREVIOUS COMPUTER MODELS

DiverLog Full is still available for previous dive computer models, and provides the same functionality syncing your dive computer to your desktop via a direct connect cable and the DiverLog Cloud.



DIVECLOUD

YOUR DIVES, ANYWHERE, ANYTIME

DOWNLOAD
FREE

DiveCloud gives you powerful and flexible storage for your divelog files, wherever you are! Just create an account online at divecloud.net, or within an approved application such as DiverLog, and you're ready to go!

DiveCloud applications can automatically sync your dive logs, and you can also manually upload/download them online at divecloud.net. Your dive data is always secure and backed up online, and you can access them wherever you are!

View your dives and photos, share with friends, and take advantage of the advanced features DiveCloud has to offer. You'll never think of your dive data the same again!

DIVECLOUD

Free Subscription

WHAT YOU GET FOR FREE

Search, edit & manage dive data & photos

Save personal & certification data

Manage favorite locations

View interactive dive profile graphs

Add & register multiple dive comps

Update dive comp firmware

Synchronize data with Mac DiveCloud

Social sharing

10 dives and up to 50MB photo storage

Files sharing features

File upload on divecloud.net

SUBSCRIPTION BENEFITS

Upgrade to the subscription version of DiveCloud for **only \$10 per year**. In addition to all above features, you'll get...

Unlimited dives and 2GB storage space

Password protected dive sharing

DiverLog sync




DiverLog can export your dives in DL7 standard format.



STORE YOUR DIVES

DiveCloud gives you secure, expandable storage to store your dives. You can sync and/or import from your favorite dive log software and supported devices, and you can even upload files right here on divecloud.net.



SHARE YOUR DIVES

DiveCloud gives you multiple ways to share your dives, including secure web links, user-to-user sharing and sharing via social media like Facebook and Twitter.



SYNC YOUR DIVES

DiveCloud is integrated with DiverLog for PC/Mac and eDiverLog for Mobile, and your dives sync automatically. Access your full dive history wherever you are!

divecloud.net



DIVE COMPUTER COMPARISON CHART

	PROPLUS 4.0	PROPLUS X	OCi	GEO 4.0	VEO 4.0	B.U.D.	F.10
Computer Type	Air Integrated Console High Visibility TFT display w/bluetooth	Air Integrated Console High Visibility TFT display w/ bluetooth	Hoseless Air Integrated Wrist Watch	Wrist Watch	Module, Wrist or Console	Universal Backup	Wrist Watch
Operating Modes	NORM (Air & Nitrox), Gauge	NORM (Air & Nitrox), Gauge	NORM (Air & Nitrox), Gauge, Free, Free Tech (Advanced Settings)	NORM (Air & Nitrox), Gauge, Freedive	NORM (Air & Nitrox), Gauge, Freedive	NORM (Air, Nitrox)	Freedive Mode (displays Depth and Elapsed Dive Time)
Interface	Menu	Menu	Menu	Sequence w/ Step Back	Sequence	Sequence	Sequence w/ Step Back
Controls	4 Buttons	4 Buttons	4 Buttons	4 Buttons	2 Buttons	1 Button	4 buttons
Max Operating Depth	330 ft (100 m)	330 ft (100 m)	330 ft (100 m) 495 ft (100 m) in Tech Free	330 ft (100 m)	330 ft (100 m) 399 ft (120 m) in GAUGE	330 ft (100 m)	330 ft (100 m)
Gauge Mode Run Timer	✓	✓	✓	✓	—	—	—
Calculate Nitrogen in Free Mode (allows switching FREE to NORM)			✓ (excluding Free Tech)	✓	✓	—	—
Display	TFT	TFT	Dot Matrix	Segmented LCD	Segmented LCD	Segmented LCD	Segmented LCD
Digital Compass	3D Digital	3D Digital	2-Axis	—	—	—	—
Nitrox Mixes	3 (21 – 100%)	3 (21 – 100%)	4 (21 – 100%)	2 (21 – 100%)	3 (21 – 100%)	1 (21 – 50%)	1 (21 – 50%)
Algorithm*	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™	Dual Algorithm™
Algorithm Reset	Desaturation	Desaturation	Desaturation	24 Hours	24 Hours	24 Hours	24 Hours
Conservative Factor	On / Off	On / Off	On / Off	On / Off	On / Off	On / Off	On / Off
Auto Altitude Adjustment	✓	✓	✓	✓	✓	✓	✓
Variable Ascent Rate Indicator	✓	✓	✓	✓	✓	✓	✓
Safety Stop	Set Depth, Time & Manual Run Timer	Set Depth, Time & Manual Run Timer	Set Depth, Time & Manual Run Timer	Set Depth, Time & Manual Run Timer	Set Depth, Time & Manual Run Timer	15 ft (4.5 m) for 3 min	15 ft (4.5 m) for 3 min
Deep Stop ON / OFF	✓	✓	✓	✓	✓	—	—
Turn Around Pressure Alarm	✓	✓	✓	—	—	—	—
On-Unit Log Capacity	99 Dives (24/day)	99 Dives (24/day)	24 Dives	24 Dives	24 Dives	—	99 dive log with Max Depth, EDT, Surface Interval
History	✓	✓	✓	✓	✓	—	✓
Last Dive Display (Max Depth & Dive Time)	✓	✓	✓	✓	✓	—	✓
PC / Mac Interface - Download - Settings Upload - Firmware Update - Earmark - Memory	✓ ✓ ✓ ✓ 60 Hours	✓ ✓ ✓ ✓ 60 Hours	✓ ✓ ✓ ✓ 60 Hours	✓ ✓ ✓ ✓ 60 Hours	✓ ✓ ✓ ✓ 60 Hours	—	✓ ✓ ✓ ✓ 60 Hours
DiverLog iOS Compatible	Sync via DiverLog for Mac & PC (USB) or DiveCloud®	Sync via DiverLog for Mac & PC (USB) or DiveCloud®	Sync via DiverLog for Mac & PC (USB) or DiveCloud®	Sync via DiverLog for Mac (wifi) or DiveCloud®	Sync via DiverLog for Mac (wifi) or DiveCloud®	—	Sync via diverlog for Mac & PC (USB) or Divecloud
Sampling Rate (seconds)	NORM / GAUG: 2, 15, 30, 60	NORM / GAUG: 2, 15, 30, 60	NORM / GAUG: 2, 15, 30, 60 Free: 1 Tech Free: .25, .50, 1, 2	NORM / GAUG: 2, 15, 30, 60 Free: 1	NORM / GAUG: 2, 15, 30, 60 Free: 1	—	—
Backlight	✓	✓	Yes - with Auto Activation Option in Tech Free	✓	✓	—	Auto Backlight Illumination
Audible Alarm	✓	✓	✓	✓	✓	—	✓
Visual Alarm	Color coded information: Amber = Warning, Red = Alarm	Color coded information: Amber = Warning, Red = Alarm	Red LED	Red LED	Red LED	—	User defined surface recovery timer, repeating elapsed dive time alarm, repeating depth interval alarm and 3 max depth alarms - with flashing LED
Alarm Acknowledgment	✓	✓	✓	✓	✓	—	✓
Battery	Rechargeable, Factory replacement only	Rechargeable, Factory replacement only	Diver Replaceable Wrist Unit: (1) CR2450 Transmitter: (1) 3v CR2	Diver Replaceable (1) CR2430	Diver Replaceable (1) CR2450	Diver Replaceable (1) CR2430	Diver Replaceable (1) CR2430
Battery Life	Average 55-60 dive hours at 60% brightness (35-40 hours at 100% brightness)	Average 55-60 dive hours at 60% brightness (35-40 hours at 100% brightness)	300 Dive Hours Transmitter: 1500 Hours	300 Dive Hours	300 Dive Hours	300 Dive Hours	300 Dive Hours
Warranty	2 Year	2 Year	2 Year	2 Year	2 Year	2 Year	2 Year

* Dual Algorithm provides a choice between Pelagic DSAT® (Spencer/Powell Data Basis) and Pelagic Z+ (Buhlman ZHL-16C Data Basis) † With optional USB Cable ‡ Based on 30 second sampling rate
**** Based on 2 Dives per day.



PROPLUS X

PERFECTLY CLEAR



Introducing the ProPlus X, a new take on a classic solution. From the display to the battery, we've re-thought everything.

The heart of the ProPlus X is an amazingly bright, low energy consumption, Thin-Film Transistor (TFT) display. Divers will have no problem seeing dive data in bright surface conditions or lowering the intensity for night dives. The large, easy-to-read screen also has an intuitive color coded interface, high-resolution bar graphs, and the largest, most legible, digits of any high visibility TFT dive computer on the market.

By taking advantage of the 4 buttons and an improved user interface, the ProPlus X is a cinch to set up and use on a dive. Our patented Air Time Remaining and Dual Algorithm's, and advanced digital compass provide accurate, reliable and easily accessed dive data.

Combined with BlueTooth LE connectivity, a rechargeable lithium battery and quick disconnect hose, the ProPlus X is a true step forward for dive computers.

Computer Type	Air Integrated Console
Display Type	High Visibility TFT
Buttons	4
Modes	Norm (Air / Nitrox), Gauge
Nitrox Mixes	3 (21 – 100%)
Custom Alarms	✓
Digital Compass	✓
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	Adjustable w/ Timer
Deep Stop	✓
On-Unit Log Capacity	99 Dives (24 dives per day)
PC Interface	✓ BlueTooth & USB download
Firmware Update	✓
Backlight	✓
Rechargeable Battery	✓ (up to 60 hours per charge)
Warranty	2 years



IN THE BOX:

ProPlus X, charger connection module, USB/mini USB charger cable, screen protector, zippered protective storage/carrying case, 32" high pressure hose with quick disconnect.



DIVERLOG MOBILE SOFTWARE

The ProPlus X connects with Diverlog mobile software via Bluetooth 4.0. Control your settings, view log and profile data, add locations, notes, and even share dives via email, Facebook and more. Whether you're on the boat, on the beach or in your home.



PART NO.	ITEM
04-1029-07	PRO PLUS X CONSOLE W/QD HOSE
04-1500-1	HOSE, HP, PPX QD
04-9614	USB INTERFACE / CHARGER, PPX
04-8246	LENS COVER, PPX

OCi

THE I STANDS FOR INCREDIBLE

The Oceanic OCi is an advanced all-in-one dive computer featuring Oceanic's exclusive Dual Algorithm, optional wireless air-integration, digital compass, and so much more. All in a strong, lightweight housing.

Computer Type	Air Integrated Dive Computer (Optional Transmitter)
Modes	Norm, Tech, Gauge, Comp, Watch, Free Dive, Tech Free Dive
Multiple Transmitters	✓ (4)
Digital Compass	✓
Nitrox Mixes	4 (21 – 100%)
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	Adjustable with Timer
Deep Stop	✓
On-Unit Log Capacity	24 Dives
PC Interface	Diverlog - MAC (mobile, cloud & comp), Oceanlog - PC (comp only)
Firmware Update	✓
Backlight	✓
Diver Replaceable Batteries	✓ (CR2450)
Warranty	2 years



WHAT'S IN THE BOX

OCi, lens protector, dive computer resources DVD, (operating manuals, PC interface software, USB Drivers), safety and reference manual, data transfer cable, and Quick Start Guide.



Black/Titanium

Black/Black

Black/Blue

PC INTERFACE SOFTWARE

Control your settings, view log and profile data, add locations, notes, and more with Oceanlog (for PC users) and Diverlog (for MAC users).



PART NO.	ITEM
04-8792-24	OCI, COMPUTER W/USB, WHITE
04-8792-29	OCI, COMPUTER W/USB, BLACK/TITANIUM
04-8792-79	OCI, COMPUTER W/USB, BLACK/BLUE
04-8792-07	OCI, COMPUTER W/ USB, BLACK/BLACK
04-8250-07	STRAP SET, OCS/OCI BLACK/BLACK
04-8250-24	STRAP SET, OCS/OCI WHITE
04-8250-29	STRAP SET, OCS/OCI BLACK/TITAN
04-8250-36	STRAP SET, OCS/OCI BLACK/YELLO
04-8250-49	STRAP SET, OCS/OCI BLACK/RED
04-8250-79	STRAP SET, OCS/OCI BLACK/BLUE
04-8000-02	TRANSMITTER ONLY
04-6175-70	BATTERY KIT, TRANSMITTER
04-8242-2	LENS COVER, OCS/OCI
04-6175-37	BATTERY KIT, OCS/OCI/F11
04-9612	USB CABLE, OCI



GEO® 4.0

STAY CONNECTED IN STYLE

NEW
SHIPPING
APR. 2019



Geo 4.0 is the next evolution in a long line of stylish, everyday-wear dive watches rich in features for active, mobile and value-driven outdoor enthusiasts. Geo 4.0 includes an all new sporty look and Bluetooth connectivity to smartphones for the ultimate in user experience and adjustability.

Computer Type	Wristwatch
Modes	Norm (Air / Nitrox), Gauge, Free, Watch
Nitrox Mixes	2 (21 –100%)
Custom Alarms	✓
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	Adjustable with Timer
Deep Stop	✓
On-Unit Log Capacity	24 Dives
PC Interface	Optional
Firmware Update	✓
Memory	50 hours
Backlight	✓
Diver Replaceable Batteries	(3v CR2430)
Warranty	2 years



Black



White

STRAP SETS:



Sea Blue



Yellow



Blue



DIVERLOG MOBILE SOFTWARE

The Geo 4.0 connects with Diverlog+ mobile software via Bluetooth 4.0. Control your settings, view log and profile data, add locations, notes, and even share dives via email, Facebook and more. Whether you're on the boat, on the beach or in your home.

PART NO.	ITEM
04-8940-07	GEO 4.0, BLACK
04-8940-24	GEO 4.0, WHITE
04-8253-07	STRAP SET, GEO 4.0 BLACK
04-8253-24	STRAP SET, GEO 4.0 WHITE
04-8253-89	STRAP SET, GEO 4.0 SEA BLUE
04-8253-18	STRAP SET, GEO 4.0 YELLOW
04-8253-01	STRAP SET, GEO 4.0 BLUE



VEO 4.0

SEAMLESS INTELLIGENCE

The sleek and slim VEO 4.0 is everything serious divers need and nothing they don't. Intelligent and capable for the most advanced dives while still maintaining Oceanic's outstanding level of affordability, Veo 4.0 is an entry level personal dive computer with slim wrist and console design that delivers unprecedented value and is packed with advanced features, including Bluetooth connectivity and integrated mobile experience through the DiverLog+ App.

Computer Type	Module, Wrist or Console
Modes	4 Operating Modes: Air, Nitrox, Gauge, Free
Push Buttons	2
User Interface	Click Forward, Fast Scroll
Nitrox Mixes	3 Gases to 100% O2
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	Adjustable with Timer
Deep Stop	✓
On-Unit Log Capacity	24 Dives
PC Interface	Optional
Firmware Update	✓
Memory	50 hours
Backlight	✓
Audible Alarm	✓
Diver Replaceable Batteries	✓ (CR2450)
Warranty	2 years



Wrist, Black



Wrist, Yellow



Navcon



Combo



DIVERLOG MOBILE SOFTWARE

The Veo 4.0 connects with Diverlog+ mobile software via Bluetooth 4.0. Control your settings, view log and profile data, add locations, notes, and even share dives via email, Facebook and more. Whether you're on the boat, on the beach or in your home.

PART NO.	ITEM
04-3820-67	VEO 4.0 NAVCON ORG
04-3825-67	VEO 4.0 NAVCON ORG METRIC
04-3810-67	VEO 4.0 COMBO ORG
04-3815-67	VEO 4.0 COMBO ORG METRIC
04-3805-67	VEO 4.0 WRIST - BLACK
04-3805-18	VEO 4.0 WRIST - YELLOW
04-3800-67	VEO 4.0 MODULE (NO LEGS)



B.U.D.

NEVER MISS A DIVE

The B.U.D. is a long overdue idea and a great way to ensure that you never have to miss a dive. Clip it off or stow it in a pocket and forget about it. B.U.D. is a universal backup dive computer that uses Dual Algorithm technology allowing you to adjust your dive computer's settings to closely match just about any other dive computer on the market making it the perfect backup device. You should never have to use it, but if you do need it, your B.U.D. will be there to save your next dive. This new dive computer is a must for every diver to carry because no matter what computers you are using, you will be able to set your B.U.D. to closely match any computers profile using the Oceanic's patented Dual Algorithm.

Computer Type	Universal Backup
Modes	Norm (Air / Nitrox)
Nitrox Mixes	1 (21 - 50%)
Algorithm	Dual Algorithm™
Auto Altitude Adjustment	✓
Ascent Rate Monitor	✓
Safety Stop	3 min. @15 ft (4.5 m)
On-Unit Log Capacity	Last Dive
Diver Replaceable Batteries	✓ (CR2430)
Warranty	2 years



PART NO.	ITEM
04-2250-36	B.U.D. YL



F.10

GO DEEP

The F.10 dedicated freediving watch comes equipped with everything you'll need for one deep breath. Provides digital depth, elapsed dive time on the surface and underwater, and a generous collection of customizable audible and visual LED alarms and interval prompts for ultimate performance and safety.

Max Operating Depth	330 ft (100 m)
Alarm Indication	Audible, Led, Alpha Numeric & Backlight
Backlight	Push Button (User-Defined Duration)
Depth Alarm	3 Set Points—Descent Only
Log + History	99 Dives (View by Day or All)
Sampling Rate	1 Sec
Audible Alarm	Elapsed Dive Time (EDT) & Depth Alarm
Count Down Timer	Countdown Alarm + Auto Reset & Repeat
Activation	User Set (Wet or Pressure/Depth)
Surface Recovery Timer	✓ (User-Set Interval)
Repeating Dpth Intrvl Alarm	✓
Repeating EDT Timer	✓
Run Timer	✓
Set Salt/Fresh Water	✓
Altitude Adjustment	✓
Diver Replaceable Batteries	✓ (Cr2430)
Warranty	2 years



Endorsed by F.I.I.



PART NO.	ITEM
04-5849	F.10 V.3 FREE DIVING WATCH
04-8106	LENS COVER ATOM/BUD/F10 FLAT
04-9610	OCEANLOG, ATOM/GEO 2/F.10
04-6175-05	BATTERY KIT, ATOM/GEO/BUD/F10, CR2430
04-5853	STRAP SET, F.10, ATOM 2.0, GEO 1, BLACK

SWIV GUAGES

SWIV MAX DEPTH GAUGE

Non-linear depth scale is easier to read in shallow depths
OceanGlo® luminescent backing
200 ft (60 m) maximum depth reading
Automatic maximum depth indicator
Easily swap gauge modules

SWIV SPG

The SWIV Submersible Pressure Gauge is an accurate and reliable submersible pressure gauge rated to 5,000 psi. Available as a stand-alone gauge or in any Oceanic SWIV console.

Compatible with SWIV Consoles
Nitrox compatible to 50%
OceanGlo® luminescent backing
Shock resistant bourdon tube mechanism
Integrated temperature gauge
One-way safety valve
500 psi fluorescent caution zone

SWIV COMPASS

Large, easy-to-read bearing indicators
High visibility lubber line
Direct and reciprocal index points
OceanGlo® luminescent backing
Large ratcheting bezel
Top or side reading



PART NO.	ITEM
	SWIV MAX DEPTH GAUGES
04-1840	MAX DEPTH SWIV COMBO
04-1865	MAX DEPTH SWIV 2 NAVCON (INCLUDES COMPASS)
04-1660	MAX DEPTH SWIV MODULE
	SWIV SUBMERSIBLE PRESSURE GAUGE
04-1370	SPG SWIV MODULE, W/TAB
04-1372-07	SPG SWIV, WITH BOOT, BK
04-1373	SPG SWIV MODULE, W/O TAB
	SWIV COMPASS
04-1026	COMPASS ASSY, PP/PP2 SWV
04-1050	COMPASS, MODULE SWIV (NEW STYLE)
04-1051	COMPASS, WRIST MT SWIV
04-1052	COMPASS, CLIP MT SWIV
04-1059	COMPASS, BUNGEE MT
04-1053	COMPASS, HOSE MT SWIV

OIL-FILLED DEPTH GAUGE

The Oil-Filled Depth Gauge is a great value, designed to fit virtually all Oceanic consoles. Rugged, inexpensive and fully covered by Oceanic's warranty and reputation.

Rugged and economical design
Fluorescent markings at 10', 20', 30', and 130'
150 ft (45 m) maximum depth reading
Large luminous display for easy reading



SLIMLINE SPG

Compatible with Oil-Filled and pre-SWIV Oceanic Consoles
Nitrox compatible to 50%
OceanGlo® luminescent gauge face absorbs light
Shock resistant bourdon tube mechanism
Integrated temperature gauge
One-way safety valve
500 psi fluorescent caution zone



SIDESCAN COMPASS

For reliable underwater navigation, the SideScan Compass is hard to beat. Large, easy-to-read bearing indicators on our extremely bright OceanGlo® luminescent floating card make quick work of navigation, especially in limited visibility.

Compatible with Oil-Filled and pre-SWIV Oceanic Consoles
Rugged and economical design
Large luminous display for easy reading



PONY BOTTLE GAUGE

The miniature Pony Bottle Gauge is a fully functional submersible pressure gauge rated to 5,000 psi. Ideal for back-up air supplies or decompression tanks, the Pony Bottle Gauge is the perfect accessory for use with wireless PDC's, allowing you to quickly pressure check your cylinder without linking your receiver unit.

Threads directly into any standard first stage high-pressure port
Nitrox compatible to 100% O2
Large numbers and green, yellow & red indicators for easy monitoring
One-way safety valve
Measurement range 400 Bar / 5000 PSI



PART NO.	ITEM
	OIL-FILLED DEPTH GAUGE
04-1835	OIL FILLED 45M COMBO
04-1611	OIL FILLED 45M MODULE
	SLIMLINE SPG
04-1338	SPG SLIMLINE MODULE

PART NO.	ITEM
	SIDESCAN COMPASS
04-1014	COMPASS, MODULE SIDESCAN (OLD STYLE)
04-1500	PONY BOTTLE GAUGE
04-1510	PONY BOTTLE GAUGE, BAR

BC COMPARISON CHART

	EXCURSION	HERA	ATMOS	BIOLITE	OCEANPRO
Type	Harness / Rear Inflation	Female Hybrid with Custom Fit Harness	Hybrid	Rear Inflation Travel	Jacket
Air Cell Material	Patented BioFlex®	500 Denier Ballistic Fadeless Nylon	500 Denier Ballistic Fadeless Nylon	Patented BioFlex®	1000 Denier Ballistic Fadeless Nylon
Bungee	✓		✓	✓	
Shoulder/Pocket Panel Material	1680 Denier Ballistic Nylon / 1000 Denier Cordura®	1680 Denier Ballistic Nylon / 1000 Denier Cordura®	1680 Denier Ballistic Nylon / 1000 Denier Cordura®	1000 Denier Cordura®	1000 Denier Cordura®
Self-Draining Expandable Pockets / Closure	(2) #10 Zipper	(2) #5 Zipper	(2) #10 Zipper		(2) #5 Zipper
Integrated Weight System / Capacity	QLR 4 (9 kg)	QLR 4 (9 kg)	9 kg Pinch and Release	Zippered Top-Loading Pinch & Release (6 kg)	Optional QLR 4 (9 kg) / Optional
Non-Ditchable Weight Capacity	4.5 kg	4.5 kg	4.5 kg	4.5 kg	4.5 kg
Integrated Backpack	✓	✓	✓	✓	✓
Padded Backpack	✓	✓	✓	✓	✓
Lumbar Support	✓	✓	✓		
Carrying Handle	✓	✓	✓	✓	✓
Tank Positioning Strap	✓	✓	✓	✓	✓
Molded Tank Cradle / Anti-Slip Pad	✓	✓	✓	✓	✓
D-rings	8 Stainless	6 Stainless	7 Stainless	Carabiner w/ Daisy Chain Loops	3 Plastic
Sternum Strap	2-Position Adjustable with Safety Whistle	2-Position Adjustable	2-Position Adjustable	Self-Adjusting	Fixed
Cummerbund	Patented Adjustable Depth Compensating	Patented Adjustable Depth Compensating	Patented Adjustable Depth Compensating		Adjustable
Reliant Inflator with Pull-Dump	✓	✓	✓	✓	✓
Right Shoulder Pull-Ball Exhaust		✓	✓		✓
Lower Pull-Dump	✓	✓	✓	✓	✓
Integrated Retractor Mount	✓	✓			
Knife Mount	✓	✓	✓		
Air XS 2 Alternate Inflator	Optional	Optional	Optional	Optional	Optional
Dry Weight (Large)	4 kg	3.5 kg	3.4 kg	2.5 kg	3.6 kg / 3.3 kg
Warranty	5 Year	5 Year	5 Year	5 Year	5 Year



EXCURSION

DIVE MASTER

The Excursion is for the serious adventurer. Our extremely comfortable and stable rear inflation BC is ready for any adventure that you are.

- Rear inflation bladder provides up to 26 kg lift
- Air bladder is made of patented BioFlex material
- QLR4 Integrated Weight System 9 kg plus dual 2 kg trim
- Generous zippered utility pockets with knife mounts
- Pre-bent welded stainless steel D-rings
- Patented adjustable depth compensating cummerbund
- Streamlined harness with reinforced contoured shoulders
- Padded backpack with lumbar support
- Lift capacity: SM, MD 45 lb (20.4 kg); LG, XL 58 lb (26 kg)



QLR4 Patent 6,487,761



PROFESSIONAL PACKAGE

Save big when you buy as part of a package. See page 4 for details.



	HEIGHT	WEIGHT (KG)	CHEST	WAIST
S	157 – 170cm	54.4 – 70.3kg	76 – 102cm	76 – 96.5cm
M	170 – 178cm	68 – 81.6kg	86 – 112cm	81 – 102cm
L	183 – 188cm	81.6 – 95.2kg	96.5 – 122cm	86 – 107cm
XL	188 – 196cm	88 – 109kg	102 – 127cm	96.5 – 117cm
XXL	188 – 196cm	109 – 125kg	127 – 140cm	117 – 127cm

PART NO.	ITEM
08-7135-52	EXCURSION BC, W/QLR4, SM
08-7135-53	EXCURSION BC, W/QLR4, MD
08-7135-55	EXCURSION BC, W/QLR4, LG
08-7135-56	EXCURSION BC, W/QLR4, XL
08-7135-57	EXCURSION BC, W/QLR4, 2XL
08-0093-04	QLR4 WT POCKET, PAIR



HERA

LADIES ONLY

The Hera BC from Oceanic comes standard with all the features and durability required of a high-end BC but is built from the ground up for the ladies. The design also incorporates our patented Adjustable Positioning System, rugged yet light-weight materials, plenty of storage, and 30 lbs (13.6 kg) of integrated weights into what may be the most comfortable, best fitting BC you'll ever wear.

- Designed specifically for women divers
- Made of 1000D denier Cordura fabric in crucial areas
- Patented Adjustable Positioning System (A.P.S.) track
- Pre-bent welded stainless steel D-rings
- Reinforced contoured shoulders
- QLR4 Integrated Weight System (9 kg) plus dual 5 lbs (2 kg) trim
- Adjustable depth-compensating cummerbund
- Lift capacity: XS 25 lb (11 kg); SM 31 lb (14 kg); MD 35 lb (16 kg); LG 42 lb (19 kg)



ADJUSTABLE POSITIONING SYSTEM

The Hera BC incorporates our patented Adjustable Positioning System (A.P.S.) which guarantees a perfect fit.



PROFESSIONAL PACKAGE

Save big when you buy as part of a package. See page 4 for details.



QLR4 Patent 6,487,761



	HEIGHT	WEIGHT (KG)
XS	152 – 165cm	45 – 56.7kg
S	157 – 170cm	54.4 – 70.3kg
M	165 – 178cm	61 – 72kg
L	170 – 183cm	70 – 86kg

PART NO.	ITEM
08-6212-51	HERA BC, W/QLR4, XS
08-6212-52	HERA BC, W/QLR4, SM
08-6212-53	HERA BC, W/QLR4, MD
08-6212-55	HERA BC, W/QLR4, LG
08-0093-04	QLR4 WT POCKET, PAIR

ATMOS

TWO-IN-ONE

The Atmos is a durably-constructed, full-featured hybrid air-cell BC. It's unique, hybrid rear-inflation bladder enables air to "shift," which provides maximum amount of lift and keeps you properly orientated on or below the surface.



9 kg (9 kg) of integrated weight in the Pinch & Release system and 4.5 kg (4.5 kg) trim

Padded backplate features an extended lumbar support to transfer tank weight onto hips, relieving shoulder stress

Three (3) over pressure relief valves optimize buoyancy control

Crucial areas constructed of 1000D denier Cordura fabric

2 large, zippered pockets with knife mounting grommets

Adjustable depth-compensating cummerbund

Lift capacity: SM 30 lb (13.6 kg); MD 35 lb (16 kg);
LG 45 lb (20 kg); XL 55 lb (25 kg)



	HEIGHT	WEIGHT (KG)	CHEST	WAIST
XS	152 - 165cm	45 - 56.7kg	66 - 91cm	71 - 91cm
S	157 - 170cm	54.4 - 70.3kg	76 - 101cm	76 - 96.5cm
M	170 - 178cm	68 - 81.6kg	86 - 112cm	81 - 101cm
L	183 - 188cm	81.6 - 95.2kg	96.5 - 122cm	86 - 107cm
XL	188 - 195cm	88 - 109kg	101 - 127cm	96.5 - 117cm
XXL	188 - 195cm	109 - 125kg	127 - 140cm	117 - 127cm



PART NO.	ITEM
08-2640-52	ATMOS BC, SM
08-2640-53	ATMOS BC, MD
08-2640-55	ATMOS BC, LG
08-2640-56	ATMOS BC, XL
08-2640-57	ATMOS BC, 2XL
08-0093-06	WEIGHT PKT, PR, ATMOS/EX100

BIOLITE

LIGHTEN UP

Our lightweight BC weighs in at just 2.5kg! The Biolite BC looks to establish itself as a complete solution with the introduction of a new color design and streamlined, integrated weight system. This is the ultimate travel BC with a perfect balance of features and benefits that makes diving a pure joy.

The Biolite keeps things simple with a clean, straightforward design that focuses on comfort and convenience. If your travel plans call for lightweight luggage, then the Biolite BC is definitely for you.

- Weights in at only 2.5 kg
- Pinch & Release System handles up to 6 kg, plus 4.5 kg trim
- Low profile makes it easy for traveling purposes
- Air bladder is made of patented BioFlex material
- Crucial areas made of 1000D denier Cordura fabric
- Self-adjusting sternum strap
- Depth compensating waist band strap
- Lift capacity: SM, MD 25 lb (11.3 kg); LG, XL, XXL 29 lb (13 kg)



	HEIGHT	WEIGHT (KG)	CHEST	WAIST
XS	152.4 - 165cm	45 - 56.7kg	66 - 91cm	71 - 91cm
S	157 - 170cm	54.4 - 70.3kg	76 - 102cm	76 - 96.5cm
M	170 - 178cm	68 - 81.6kg	86 - 112cm	81 - 102cm
L	183 - 188cm	81.6 - 95.2kg	96.5 - 122cm	86 - 107cm
XL	188 - 196cm	88 - 109kg	102 - 127cm	96.5 - 117cm
XXL	188 - 196cm	109 - 125kg	127 - 140cm	117 - 127cm

PART NO.	ITEM
	BIOLITE TRAVEL BC
08-2207-51	BIO LITE BC, XS
08-2207-52	BIO LITE BC, SM
08-2207-53	BIO LITE BC, MD
08-2207-55	BIO LITE BC, LG
08-2207-56	BIO LITE BC, XL
08-2207-57	BIO LITE BC, XXL

ONLY
2.5
KG



Men's



Women's

PART NO.	ITEM
	BIOLITE TRAVEL BC FEMALE
08-2464-51	BIO LITE BC FEMALE, XS
08-2464-52	BIO LITE BC FEMALE, SM
08-2464-53	BIO LITE BC FEMALE, MD
08-2464-55	BIO LITE BC FEMALE, LG
	WEIGHT PKT
08-0094-06	WEIGHT PKT, BIO LITE FRONT PR
08-0094-07	WEIGHT PKT, BIO LITE TANK PAIR



OCEANPRO

BUILT LIKE A TANK



An economical jacket for the diver who wants to keep it simple, the OceanPro BC features the same quality workmanship, comfort and fit that you expect from Oceanic.

Named ScubaLab’s Best Buy in Scuba Diving’s July 2015 BC Review.

Withstands the daily rigors of rental & training departments

Durable 1000D denier fadeless nylon construction

OceanPro BC is sold without pockets. Optional QLR4 Integrated Weight System is available separately.

4.5 kg trim weight

QLR4 Integrated Weight System (9 kg) available separately

Two large zippered pockets

Integrated backpack with carrying handle

Lift capacity: XS 18 lb (8 kg); SM 26 lb (12 kg); MD 31 lb (14 kg); LG 38 lb (17 kg); XL 44 lb (20 kg)



Shown with optional QLR4 weight pockets

QLR4 Patent 6,487,761



OPEN WATER PACKAGE

Save big when you buy as part of a package. See page 4 for details.



	HEIGHT	WEIGHT (KG)	CHEST	WAIST
XS	152.4 – 165cm	45 – 56.7kg	66 – 91cm	71 – 91cm
S	157 – 170cm	54.4 – 70.3kg	76 – 102cm	76 – 96.5cm
M	170 – 178cm	68 – 81.6kg	86 – 112cm	81 – 102cm
L	183 – 188cm	81.6 – 95.2kg	96.5 – 122cm	86 – 107cm
XL	188 – 196cm	88 – 109kg	102 – 127cm	96.5 – 117cmcm
XXL	188 – 196cm	109 – 125kg	127 – 140cm	117 – 127cm

PART NO.	ITEM
08-8430-51	OCEANPRO BC, XS
08-8430-52	OCEANPRO BC, SM
08-8430-53	OCEANPRO BC, MD
08-8430-55	OCEANPRO BC, LG
08-8430-56	OCEANPRO BC, XL
08-0093-04	QLR4 WT POCKET, PAIR



CYANEA

TRULY WORTHY OF ENVY

Technology and innovation are behind this minimalist frame and oversized lens, providing style, comfort and peripheral vision truly worthy of envy.

- Ultra-clear liquid silicone
- Superior ultra-clear optical glass
- Wide field of vision
- Trouble free buckles
- Double feathered edge super-soft liquid silicone skirt with stability ridges
- UV & chlorine resistant elastic ski-goggle style strap provides secure fit and comfort
- Micro frame construction
- Integrated snorkel keeper keeps your snorkel in the ideal position for use



Black/Yellow



Clear/Oceanic Blue



Clear/Titanium



Clear/Pink



Black/Titanium



Clear/Sea Blue

PART NO.	ITEM
CYANEA	
05-3410-01	CYANEA MASK, CLEAR/BLUE
05-3407-18	CYANEA MASK, BLACK/YELLOW
05-3407-29	CYANEA MASK, BLACK/TITANIUM
05-3410-29	CYANEA MASK, CLEAR/TITANIUM
05-3410-39	CYANEA MASK, CLEAR/SEA BLUE
05-3410-78	CYANEA MASK, CLEAR/PINK
STRAP REPLACEMENT	
05-3402-07-04	STRAP, REPLACEMENT, CYANEA, BK/RD
05-3402-07-05	STRAP, REPLACEMENT, CYANEA, BK/GY
05-3402-07-18	STRAP, REPLACEMENT, CYANEA, BK/NY
05-3402-24-01	STRAP, REPLACEMENT, CYANEA, WT/BL
05-3402-24-05	STRAP,REPLACEMENT, CYANEA, WT/GY
05-3402-24-39	STRAP,REPLACEMENT, CYANEA, WT/GR
05-3402-24-78	STRAP, REPLACEMENT, CYANEA, WT/PK



OCEANVU

SURE FIT

The OceanVu, the latest dive mask from Oceanic. Superior materials, technology & design give you the best visibility, fit & comfort possible in a dive mask. Wear the OceanVu mask during your dives and see more ocean than ever before.

- Ultra-clear, medical-grade, liquid silicone
- UltraClear optical quality tempered glass lenses optimize clarity, light transmission, and color consistency for the best possible visibility, especially in low light conditions
- SureFit™ Buckle Tensioning System
- Quick adjusting sliding buckles allow simple, fine adjustments and release of the strap
- Textured and easy to squeeze nose pocket allows one handed equalization
- Rubberized frame inserts improve grip to aid clearing
- Ultra lightweight and low internal volume for dramatically improved field of vision – up, down and side-to-side



Clear/Titanium Clear/Yellow Clear/Sea Blue Black/Titanium Black/Yellow Clear/Pink

SHADOW

KEEPS YOU FOCUSED

Sleek 100% liquid silicone skirt attached directly to the tempered glass lens. No-frame mask means the Shadow Series offers an incredible field of vision and packs flat. Available in two colors and two sizes for a perfect fit.

- No-frame design reduces weight
- Extremely low volume design
- Swiveling, easy adjusting buckles
- Folds and fits easily in your BC pocket

PART NO-	ITEM
	OCEANVU MASK
05-3610-01	OCEANVU MASK, CLEAR/BLUE
05-3610-18	OCEANVU MASK, CLEAR/YELLOW
05-3610-29	OCEANVU MASK, CLEAR/TITANIUM
05-3610-78	OCEANVU MASK, CLEAR/PINK
05-3610-89	OCEANVU MASK, CLEAR/SEA BLUE
05-3607-01	OCEAN VU MASK, BLACK/BLUE
05-3607-18	OCEAN VU MASK, BLACK/YELLOW
05-3607-29	OCEAN VU MASK, BLACK/TITANIUM
05-3404-07	STRAP, REPLACEMENT OCEANVU, BLACK
05-3404-10	STRAP, REPLACEMENT OCEANVU, CLEAR



SUREFIT™ BUCKLE TENSIONING SYSTEM

SureFit™ Buckle Tensioning System evenly distributes the tension exerted by the strap over a firmer silicone band for support, maximizing seal and comfort.



PART NO-	ITEM
	SHADOW MASK
05-4000-09	SHADOW MASK, ICE, NEO STRAP
05-4000-27	SHADOW MASK, BK, NEO STRAP
05-2900-09	MINI SHADOW MASK, ICE, NEO STR
05-2900-27	MINI SHADOW MASK, BK, NEO STR

ION

A low-profile mask for all lovers of the sport who want to see the underwater world more clearly. Comes standard with our Neoprene Comfort Strap. Low-volume design for wide field-of-view and easy clearing.

Sturdy lightweight frame
Low volume design for wide field-of-view and easy clearing
100% liquid silicone for comfort and long-life
Tempered glass lens for safety
Easy adjusting buckles for convenience
Neoprene Comfort Strap



Sea Blue/White



Oceanic Blue/White

Black/Black

ENZO

The Enzo features a very low volume and lightweight frame, with an extra wide field of vision.

Ultra low volume mask ideal for freediving and spearfishing
Ultra-clear glass
Low profile / Easy-adjust buckles



Blue/Clear



Yellow/Clear



Pink/Clear



Black/Black



White/White

PART NO.	ITEM
ION MASK	
05-5106-01	ION MASK, OC BU/CL, NEO STRAP
05-5106-27	ION MASK, BK/TI/BK, NEO STRAP
05-5106-89	ION MASK, SEA BLUE/WHITE/CLEAR , NEO STRAP
ENZO	
05-1000-01	ENZO MASK, OC BU/CL
05-1000-18	ENZO MASK, NY/CL

PART NO.	ITEM
05-1000-24	ENZO MASK, WH/WH
05-1000-27	ENZO MASK, BK/BK
05-1000-78	ENZO MASK, PK/CL
05-9107	STRAP, ENZO MASK, BK
05-9110	STRAP, ENZO MASK, CL
05-9124	STRAP, ENZO MASK, WHT

MASK ACCESSORIES

PART NO.	ITEM
05-4201-10	STRAP, MAKO MASK, SIL, CL
05-9008-07	COMFORT MASK STRAP, BK
05-9010-07	STRAP, MASK, SIL/NEOPRENE BK
05-9010-10	STRAP, MASK, SIL/NEOPRENE CL
05-9040	STRAP, MASK, BLACK SILICONE



ULTRA DRY

Designed to be exactly what its name suggests, the Ultra Dry snorkel incorporates Oceanic's patented Dry Snorkel Technology into an ultra-low profile product that is ergonomically designed for comfort and function.

Efficient dual exhaust valves for easy clearing

Drop away flex mouthpiece

Replaceable 100% liquid silicone mouthpiece

AVAILABLE
MARCH
2019!



ULTRA DRY 2

The classic Ultra family of snorkels has evolved. Introducing the Ultra Dry 2. This sleek new ergonomic design incorporates Oceanic's patented Dry Snorkel Technology, drop away flex mouthpiece, oversized purge valve for easy clearing, and replaceable 100% liquid silicone mouthpiece into a comfortable and functional snorkel ready for any adventure.

Patented Dry Snorkel Technology virtually eliminates water entry

Oversized purge valve for easy clearing

Quick-release swiveling snorkel keeper

Drop away smooth bore flex mouthpiece

Replaceable 100% liquid silicone mouthpiece



ULTRA SD

The new Ultra SD (Semi-Dry) employs a patent pending deflector to stay dry in waves and wind. The design also incorporates a drop-away flex mouthpiece, oversized purge valve for easy clearing and a replaceable 100% liquid silicone mouthpiece.

Patented dry top deflector prevents water entry

Drop away flex mouthpiece

Oversized purge valve for easy clearing

Replaceable 100% liquid silicone mouthpiece



PART NO.	ITEM
07-1004-01	ULTRA DRY SNORKEL, BLACK/OC BLUE
07-1004-29	ULTRA DRY SNORKEL, BLACK/TITANIUM
07-1004-36	ULTRA DRY SNORKEL, BLACK/YELLOW
07-1007-89	ULTRA DRY SNORKEL, WHITE/SEA BLUE
07-1007-01	ULTRA DRY SNORKEL, WHITE/OC BLUE
07-1207-01	ULTRA DRY 2 SNORKEL, BLACK/BLUE
07-1207-18	ULTRA DRY 2 SNORKEL, BLACK/YELLOW
07-1207-29	ULTRA DRY 2 SNORKEL, BLACK/TITANIUM
07-1210-01	ULTRA DRY 2 SNORKEL, CLEAR/BLUE
07-1210-18	ULTRA DRY 2 SNORKEL, CLEAR/YELLOW
07-1210-29	ULTRA DRY 2 SNORKEL, CLEAR/TITANIUM

PART NO.	ITEM
07-1224-78	ULTRA DRY 2 SNORKEL, WHITE/PINK
07-1224-89	ULTRA DRY 2 SNORKEL, WHITE/SEA BLUE
07-1107-01	ULTRA SD SNORKEL, BLACK/BLUE
07-1107-18	ULTRA SD SNORKEL, BLACK/YELLOW
07-1107-29	ULTRA SD SNORKEL, BLACK/TITANIUM
07-1110-01	ULTRA SD SNORKEL, CLEAR/BLUE
07-1110-18	ULTRA SD SNORKEL, CLEAR/YELLOW
07-1110-29	ULTRA SD SNORKEL, CLEAR/TITANIUM
07-1124-78	ULTRA SD SNORKEL, WHITE/PINK
07-1124-89	ULTRA SD SNORKEL, WHITE/SEA BLUE

ARID

A patent pending deflector helps to keep the Arid as dry as a desert, even in waves and wind. Patent pending dry top deflector prevents water entry, drop-away flex mouthpiece, oversized purge valve for easy clearing, replaceable 100% liquid silicone mouthpiece.

- Patented dry top deflector prevents water entry
- Drop away flex mouthpiece
- Oversized purge valve for easy clearing
- Replaceable 100% liquid silicone mouthpiece



Black/Neon-Yellow Clear/Sea Blue White/Pink White/Oceanic Blue



Black/Oceanic Blue Black/Titanium

POCKET SNORKEL

For divers that dislike wearing a snorkel, but know that they should always be prepared, Oceanic provides an innovative solution. The Pocket Snorkel folds neatly and out of the way in your BC pocket when not in use.

- Patented dry top deflector prevents water entry
- Drop away flex mouthpiece
- Oversized purge valve for easy clearing
- Patented Snorkel Lock allows easy removal and attachment
- Replaceable 100% liquid silicone mouthpiece
- Dimensions when folded are 17.8cm x 10cm x 6.3cm



ENZO FREE DIVE

The Enzo features an internal diameter designed for optimum flow rate and perfect for free diving and spearfishing.

- Designed for spearfishing and free diving
- Internal diameter designed for optimum flow rate
- Low drag and snag free



PART NO.	ITEM
07-2209-01	ARID SNORKEL, OC BLUE/WHT
07-2207-18	ARID SNORKEL, NY/BLK
07-2209-89	ARID SNORKEL, SEA BLUE/CLR
07-2209-78	ARID SNORKEL, PINK/WHT
07-2207-01	ARID SNORKEL, OC BLUE/BLK
07-2207-29	ARID SNORKEL, TI/BLK

PART NO.	ITEM
07-1800-27	POCKET SNORKEL, BK/BK
07-1000-27	ENZO SNORKEL, BK

WWW.TECNOMAR.ES #OCEANICWORLDWIDE
96 152 21 12 | INFO @TECNOMAR.ES



MANTA RAY

INSPIRED BY NATURE



TECHNO-POLYMER BLADE Advanced material provides the strength of bone to maximize power, speed & efficiency, while being extremely lightweight & durable



POWER-X SYSTEM Revolutionary material acts as tendon & joint, optimizing propulsion by flexing during the downstroke and releasing stored energy prior to the upstroke



POWER CHANNEL The flexible material simulates the elasticity of skin by directing water flow off the back of the blade for increased thrust



SOFT-PAD HEEL STRAP An comfortable and ergonomic finger-loop which allows the fin to be easily removed & replaced, even with thick neoprene gloves



EASY BUCKLE ADJUSTMENT (EBA) Our unique EBA buckle adjustment system allows for more than 2" (5 cm) of precise adjustments for a custom fit without tools



WINGLETS along the length of the blade increase efficiency and improve maneuverability



Black/White



Black/Titanium



Black/Oceanic Blue



Black/Yellow



White/Sea Blue



White/Pink

PART NO.	ITEM
14-4589-51	MANTA RAY, SEA BLUE/WHITE, XS 5-7
14-4589-52	MANTA RAY, SEA BLUE/WHITE, SM 7-10
14-4578-51	MANTA RAY, PINK/WHITE, XS 5-7
14-4578-52	MANTA RAY, PINK/WHITE, SM 7-10
14-4529-51	MANTA RAY FIN, TITANIUM/BLACK, XS 5-7
14-4529-52	MANTA RAY FIN, TITANIUM/BLACK, SM 7-10
14-4529-54	MANTA RAY FIN, TITANIUM/BLACK, REG 10-12
14-4529-56	MANTA RAY FIN, TITANIUM/BLACK, XL 12+
14-4501-51	MANTA RAY, OCEANIC BLUE/BLACK, XS 5-7
14-4501-52	MANTA RAY, OCEANIC BLUE/BLACK, SM 7-10
14-4501-54	MANTA RAY, OCEANIC BLUE/BLACK, REG 10-12
14-4501-56	MANTA RAY, OCEANIC BLUE/BLACK,XL 12+
14-4518-51	MANTA RAY FIN, YELLOW/BLACK, XS 5-7
14-4518-52	MANTA RAY FIN, YELLOW/BLACK, SM 7-10
14-4518-54	MANTA RAY FIN, YELLOW/BLACK, REG 10-12
14-4518-56	MANTA RAY FIN, YELLOW/BLACK, XL 12+
14-4524-51	MANTA RAY FIN, WHITE/BLACK, XS 5-7
14-4524-52	MANTA RAY FIN, WHITE/BLACK, SM 7-10
14-4524-54	MANTA RAY FIN, WHITE/BLACK, REG 10-12
14-4524-56	MANTA RAY FIN, WHITE/BLACK, XL 12+

ACCEL

ONE FIN, ANY OCEAN

If you favor power over frills, you'll love the Accel. Compact and responsive, its clean lines and efficient shape make it an excellent all-around fin.

Unique, high-stretch heel straps are effortless to slip on and off and dramatically reduce the bulk and drag associated with typical open heel fins. The angled, compact blade has excellent water flow characteristics and also allows divers to swim efficiently with multiple kicking styles, from scissor to frog to sculling. The blade's center channel, along with pronounced side rails, also helps minimize "side spill," directing water behind the diver for maximum thrust.

- Unique heel strap design is effortless to slip on and off
- Minimize inventory & customize your Accel fins
- Design offers excellent water flow characteristics
- Center channel and side rails help minimize "side spill"
- Less than 3 lbs (1.4 kg) per pair
- Maximum length only 21 inches (size XL-XXL)
- Accel fin comes in Black with Titanium Color Kit

ACCEL COLOR KITS

Customize your Accel fins with Color Kits from Oceanic. Available in 6 colors, each easy-to-install color kit to match your gear, your mood or your dive.



Titanium
(Stock Color)



Accel fin with
Blue Color Kit



Black



Neon Yellow



Sea Blue



Pink

PART NO.	ITEM
ACCEL FIN, OPEN HEEL	
14-4027-52	ACCEL FIN OH, BK, XS 5-7
14-4027-53	ACCEL FIN OH, BK SM/MD 7-10
14-4027-55	ACCEL FIN OH, BK, REG 10-12
14-4027-56	ACCEL FIN OH, BK, XL/XXL 12+
ACCEL FIN COLOR KITS	
05-4091-01	ACCEL COLOR KIT, BU
05-4091-05	ACCEL COLOR KIT, TI
05-4091-07	ACCEL COLOR KIT, BK
05-4091-18	ACCEL COLOR KIT, NY
05-4091-39	ACCEL COLOR KIT, SEA BLUE
05-4091-78	ACCEL COLOR KIT, PK



VIPER OPEN HEEL

Flexible Power Thrust Channel™ directs water off the tip of the blade for improved power and efficiency

Power Vents™ reduce stress while accelerating water over the blade

Extremely lightweight for increased performance and ease of travel

Oversized blade produces increased thrust and propulsion

Generous foot pocket fits a wide range of boot styles

Easy adjust quick-release buckles



White/Sea Blue



Black/Black



Black/Neon Yellow



White/Pink

VIPER FULL FOOT

Flexible Power Thrust Channel™ directs water off the tip of the blade for improved power and efficiency

Power Vents™ reduce stress while accelerating water over the blade

Extremely lightweight for increased performance and ease of travel

Oversized blade produces increased thrust and propulsion

Generous foot pocket



White/Sea Blue



Black/Black



Black/Neon Yellow



White/Pink

PART NO.	ITEM
VIPER OPEN HEEL FIN	
14-3809-51	VIPER OH FIN, WH/PK, XS 5-7
14-3809-53	VIPER OH FIN, WH/PK, SM 7-10
14-3809-55	VIPER OH FIN, WH/PK, REG 10-12
14-3806-51	VIPER OH FIN, WH/SEABLUE, XS 5-7
14-3806-53	VIPER OH FIN, WH/SEABLUE, SM 7-10
14-3806-55	VIPER OH FIN, WH/SEABLUE, REG 10-12
14-3818-51	VIPER OH FIN, NY/BK, XS 5-7
14-3818-53	VIPER OH FIN, NY/BK, SM 7-10
14-3818-55	VIPER OH FIN, NY/BK, REG 10-12
14-3818-56	VIPER OH FIN, NY/BK, XL 12+
14-3807-51	VIPER OH FIN, BK/BK, XS 5-7
14-3807-53	VIPER OH FIN, BK/BK, SM 7-10
14-3807-55	VIPER OH FIN, BK/BK, REG 10-12
14-3807-56	VIPER OH FIN, BK/BK, XL 12+
14-3869-51	VIPER OH, OC BLUE/BK, XS 5-7
14-3869-53	VIPER OH, OC BLUE/BK, SM 7-10

PART NO.	ITEM
14-3869-55	VIPER OH, OC BLUE/BK, REG 10-12
14-3869-56	VIPER OH, OC BLUE/BK, XL 12+
VIPER FULL FOOT FIN	
14-6418-50	VIPER FF, NY, XXS 3-4
14-6418-51	VIPER FF, NY, XS 4.5-5.5
14-6418-52	VIPER FF, NY, SM 6-7
14-6418-53	VIPER FF, NY, MD 7.5-8.5
14-6418-54	VIPER FF, NY, ML 9-10
14-6418-55	VIPER FF, NY, LG 10.5-11.5
14-6418-56	VIPER FF, NY, XL 12-13
14-6468-50	VIPER FF, WHT/PK XXS 3-4
14-6468-51	VIPER FF, WHT/PK XS 4.5-5.5
14-6468-52	VIPER FF, WHT/PK SM 6-7
14-6468-53	VIPER FF, WHT/PK MD 7.5-8.5
14-6458-50	VIPER FF, WHT/SEA BLUE XXS 3-4
14-6458-51	VIPER FF, WHT/SEA BLUE XS 4.5-5.5
14-6458-52	VIPER FF, WHT/SEA BLUE SM 6-7

PART NO.	ITEM
14-6458-53	VIPER FF, WHT/SEA BLUE MD 7.5-8.5
14-6407-50	VIPER FF, BLACK/BLACK, XXS 3-4
14-6407-51	VIPER FF, BLACK/BLACK, XS 4.5-5.5
14-6407-52	VIPER FF, BLACK/BLACK, SM 6-7
14-6407-53	VIPER FF, BLACK/BLACK,MD 7.5-8.5
14-6407-54	VIPER FF, BLACK/BLACK, ML 9-10
14-6407-55	VIPER FF, BLACK/BLACK,LG 10.5-11.5
14-6407-56	VIPER FF, BLACK/BLACK, XL 12-13
14-6439-50	VIPER FF, BLACK/TITANIUM, XXS 3-4
14-6439-51	VIPER FF, BLACK/TITANIUM, XS 4.5-5.5
14-6417-50	VIPER FF, OCEANIC BU, XXS 3-4
14-6417-51	VIPER FF, OCEANIC BU, XS 4.5-5.5
14-6417-52	VIPER FF, OCEANIC BU, SM 6-7
14-6417-53	VIPER FF, OCEANIC BU, MD 7.5-8.5
14-6417-54	VIPER FF, OCEANIC BU, ML 9-10
14-6417-55	VIPER FF, OCEANIC BU, LG 10.5-11.5
14-6417-56	VIPER FF, OCEANIC BU, XL 12-13

MESH DUFFEL

Use this durable PVC mesh bag for easy transport to the dive site or boat and storage between dive days. Ready to rinse your gear after a day of use? Simply drop the entire bag in the rinse tank and hang up to dry.

Heavy duty #10 YKK U-shaped zipper for increased opening space

PVC-coated Nylon mesh

600D polyester with PVC backing for side panels

Adjustable comfort shoulder straps

Dimensions: 30" (76cm) x 14"(65.5cm) x 12" (30.5cm)



REGULATOR BAG

#10 YKK self-healing zippers

Interior Velcro® loops

1620 Denier Ballistic Nylon construction

Dimensions: W 12" (30.5 cm), H 4.35" (11 cm), L 12" (30.5 cm)



ENZO MASK/ SNORKEL/FIN BAG

A great bag designed to carry those long blade fins and more. The newest addition to the Oceanic Bag Collection.

Large enough to accommodate the Enzo Free Dive Fins

Pocket divider for mask/snorkel

Top handle and shoulder strap

Drain hole



PART NO.	ITEM
17-4774-07	MESH DUFFEL BAG
17-4773-07	REGULATOR BAG
17-4776-07	ENZO MASK/FIN/SNORKEL BAG

DRY BAG

These dry bags are ideal for all types of outdoor adventures, from camping to white water rafting, boat trips to biking. The classic stuff sack design built to stay dry.

PVC-tarpaulin
9" (23cm) W x 21.25" (54cm) H
Three roll closure system
Waterproof materials
Internal cell phone pocket on clear bag only
High-frequency welded and heat seal taped technique to make the bag watertight



MESH BACKPACK

Our Mesh Backpack is perfect for snorkeling or a day at the beach. Another great bag in the Oceanic collection to transport all your gear wherever your destination.


Mesh construction is lightweight, and allows easy gear rinsing and drying
Backpack features padded shoulder straps and drawstring closure
Internal semi-dry pocket for keys, wallet and c-card
Black Tarpaulin fabric
Gray 210D nylon exterior pocket with PU coating
Heavy duty #10 YKK zipper along the side of the bag for easy access to gear
Padded handle for easy grasping and carrying
Comfortably padded shoulder straps, contoured, with adjustable sternum strap
Dimensions: 18" (46cm) x 29.5" (75cm)



PART NO.	ITEM
17-4771-18	DRY BAG-PVC-TARPAULIN - 9" (23CM) W X 21.25" (54CM) H - YELLOW
17-4771-10	DRY BAG-PVC-TARPAULIN - 9" (23CM) W X 21.25" (54CM) H - CLEAR
17-4775-07	MESH BACKPACK

TECNOMAR

más que una marca



TECNOMAR DIVING SL

C/DTOR. FLEMING, 5. POL INDUSTRIAL BARRIO DEL CRISTO

46930 QUART DE POBLET, VALENCIA, ESPAÑA

96 152 21 12 | INFO@TECNOMAR.ES | WWW.TECNOMAR.ES

